

H 7240 BM

Speed oven with a seamless design, automatic programmes and combination modes.



- 3 in 1: Oven, Microwave and Oven with microwave function
- Clear text display with sensor controls – DirectSensor S
- Easy cleaning – compartment with PerfectClean
- Faster and more consistent results – Quick & Gentle
- Network-enabled WiFi appliance – Miele@home
- Get what you want in 1 easy step – Quick MW and Popcorn button

EAN: 4002516207733 / Material number: 11128170

| Construction type and design | |
|---|---|
| Built-in speed oven | • |
| Colour | Obsidian Black |
| Convenience features | |
| Quick & Gentle | • |
| Rapid heat-up | • |
| Operating modes | |
| Defrost | • |
| Automatic programmes | • |
| Auto Roast | • |
| Eco Fan Heat | • |
| Grill | • |
| Fan Plus | • |
| Microwave | • |
| Microwave with Auto Roast | • |
| Microwave + Grill | • |
| Microwave + Fan Plus | • |
| Microwave + Fan Grill | • |
| Fan Grill | • |
| User convenience | |
| Networking with Miele@home | • |
| Display | DirectSensor S |
| SoftOpen | • |
| SoftClose | • |
| 3 in 1 | Oven, Microwave, Oven with microwave function |
| MultiLingua | • |
| Popcorn function | • |
| Time of day display | • |
| Clock synchronisation | • |
| Minute minder | • |
| Programmable start of cooking duration | • |
| Programmable end of cooking duration | • |
| Programmable cooking duration | • |
| Actual temperature display | • |
| Target temperature display | • |
| Buzzer when desired temperature is reached | • |
| Recommended temperature | • |
| Suggestion microwave power | • |
| Quick microwave | • |
| Individual settings | • |
| Cleaning and convenience | |
| Stainless steel oven interior with linen structure and PerfectClean | • |
| Hinged grill element | • |
| CleanGlass door | • |
| Safety | |
| Appliance cooling system and touch-cool front doors | • |
| Safety switch-off | • |
| System lock | • |

H 7240 BM


Speed oven with a seamless design, automatic programmes and combination modes.




EAN: 4002516207733 / Material number: 11128170

| Technical data | |
|--|------------|
| Oven interior volume in l | 43 |
| No. of shelf levels | 3 |
| No. of shelf levels oven compartment 1 | 3 |
| No. of shelf levels oven compartment 2 | 3 |
| Oven light | 1 LED spot |
| Temperatures in °C | 30-250 |
| Temperature min. in °C | 30 |
| Temperature max. in °C | 250 |
| Electronically controlled microwave power | • |
| Microwave power levels in W | |
| Niche width min. in mm | 560 |
| Niche width max. in mm | 568 |
| Niche height min. in mm | 450 |
| Niche height max. in mm | 452 |
| Niche depth in mm | 550 |
| Appliance width in mm | 595 |
| Appliance height in mm | 456 |
| Appliance depth in mm | 568 |
| Weight in kg | 36.0 |
| Total rated load in kW | 2.70 |
| Voltage in V | 220-240 |
| Frequency in Hz | 50 |
| Fuse rating in A | 16 |
| Number of phases | 1 |
| Length of supply lead in mm | 2.00 |
| Accessories supplied | |
| Baking and roasting rack with PerfectClean | 1 |
| Glass tray | 1 |


H 7240 BM Installation diagrams



Installation in a tall or base unit




Side view H 7000 BM,
22 mm – glass, 23.3 mm – metal




Built-in H 7000 BM build-under, installation drawings

If the oven is to be installed under a cooktop, follow the instructions for installing the cooktop and the height of the cooktop.



Connections and ventilation

- 1) Mains connection cable, L=2000 mm,
- 2) No connection in this area,
- 3) Ventilation cut-out min. 150 cm²



H 7000 handle, installation drawing

- 1) 400 mm, 2) 360 mm, 3) 47 mm,
- 4) 24 mm, 5) 32.5 mm

All dimensions are given in mm