

H 7240 BM

Speed oven with a seamless design, automatic programmes and combination modes.



- 3 in 1: Oven, Microwave and Oven with microwave function
- Clear text display with sensor controlsDirectSensor S
- Easy cleaning compartment with PerfectClean
- Faster and more consistent resultsQuick & Gentle
- Network-enabled WiFi applianceMiele@home
- Get what you want in 1 easy step
 Quick MW and Popcorn button

EAN: 4002516207351 / Material number: 11128190

Construction type and design	
Built-in speed oven	•
Colour	Stainless steel/Clean Steel
Convenience features	
Quick & Gentle	•
Rapid heat-up	•
Operating modes	
Defrost	•
Automatic programmes	•
Auto Roast	•
Eco Fan Heat	•
Grill	•
Fan Plus	•
Microwave	•
Microwave with Auto Roast	•
Microwave + Grill	•
Microwave + Fan Plus	•
Microwave + Fan Grill	•
Fan Grill	•
User convenience	
Networking with Miele@home	•
Display	DirectSensor S
SoftOpen	•
SoftClose	•
3 in 1	Oven, Microwave, Oven
	with microwave function
MultiLingua	•
Popcorn function	•
Time of day display	•
Clock synchronisation	•
Minute minder	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	•
Actual temperature display	•
Target temperature display	•
Buzzer when desired temperature is reached	•
Recommended temperature	•
Suggestion microwave power	•
Quick microwave	•
Individual settings	•
Cleaning and convenience	
Stainless steel/CleanSteel finish	•
Stainless steel oven interior with linen structure and PerfectClean	•
Hinged grill element	•
CleanGlass door	•
Safety	
Appliance cooling system and touch-cool front doors	•
Safety switch-off	•
System lock	•



H 7240 BM

Speed oven with a seamless design, automatic programmes and combination modes.




EAN: 4002516207351 / Material number: 11128190


Technical data	
Oven interior volume in I	43
No. of shelf levels	3
No. of shelf levels oven compartment 1	3
No. of shelf levels oven compartment 2	3
Oven light	1 LED spot
Temperatures in °C	30-250
Temperature min. in °C	30
Temperature max. in °C	250
Electronically controlled microwave power	•
Microwave power levels in W	
Niche width min. in mm	560
Niche width max. in mm	568
Niche height min. in mm	450
Niche height max. in mm	452
Niche depth in mm	550
Appliance width in mm	595
Appliance height in mm	456
Appliance depth in mm	569
Weight in kg	36.0
Total rated load in kW	2.70
Voltage in V	220-240
Frequency in Hz	50
Fuse rating in A	16
Number of phases	1
Length of supply lead in mm	2.00
Accessories supplied	
Baking and roasting rack with PerfectClean	1
Glass tray	1

Míele


H 7240 BM Installation diagrams



Installation in a tall or base unit




Side view H 7000 BM, 22 mm – glass, 23.3 mm – metal




Built-in H 7000 BM build-under, installation drawings

If the oven is to be installed under a cooktop, follow the instructions for installing the cooktop and the height of the cooktop.



Connections and ventilation

- 1) Mains connection cable, L=2000 mm,
- 2) No connection in this area,
- 3) Ventilation cut-out min. 150 cm²



H 7000 handle, installation drawing

- 1) 400 mm, 2) 360 mm, 3) 47 mm,
- 4) 24 mm, 5) 32.5 mm

All dimensions are given in mm