

DGM 7640 Gen 7000 Steam Oven / Microwave



Model and design	
Steam oven with microwave	•
Design line	VitroLine
Colour	Obsidian Black
Convenience features	Oboldici i Bidoli
Quick & Gentle	•
External steam generation	•
Menu cooking without transfer of flavours	•
Automatic programmes with ability to make individual adjustments	•
Keeping warm	•
Functions	
Defrost	•
Automatic programmes	•
Country-specific automatic programmes	•
Steam cooking	•
Steam cooking with microwave	•
Sous-vide	•
Reheating	•
Microwave	•
Eco steam cooking	•
Special applications	•
User convenience	
Display	M Touch S
MotionReact: light comes on when movement is detected	•
MotionReact: display comes on when movement is detected	•
MotionReact: audible signal is acknowledged when movement is detected	•
MotionReact: detection of cabinet fronts	•
SoftOpen	•
MultiLingual	•
MyMiele	•
Help function	•
Popcorn function	•
Quantity-independent cooking	•
Steam cooking on up to 3 levels at the same time	•
Automatic menu cooking with steam	•
Steam reduction before end of programme	•
Time display	•
Date display	•
Minute minder	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	•
Actual temperature display	•
Desired temperature display	•
Audible signal when desired temperature is reached	•
Recommended temperature	•
Quick microwave	•
User programmes	20
Individual settings	•



DGM 7640 Gen 7000 Steam Oven / Microwave



Cleaning and care	
Stainless steel front with CleanSteel finish	•
Stainless steel oven compartment with linen structure	•
External steam generator	•
Floor heater for condensate reduction	•
Soak maintenance programme	•
Quick-release side racks	•
Removable side racks	•
Automatic descaling	•
CleanGlass door	•
Steam technology and water supply	
DualSteam	•
Water reserve for approx. 90 minutes of cooking	•
Fresh water container	•
Removal of fresh water container with Push2release	•
mechanism	
Appliance networking	
Miele@home	•
MobileControl	•
SuperVision display	•
WiFiConn@ct	•
Safety	
Appliance cooling system and touch-cool front	•
Safety switch-off	•
System lock	•
Vapour cooling system	•
3 - 7	
Sensor lock	•
	•
Sensor lock	•
Sensor lock Technical data	• • 40
Sensor lock Technical data L oven compartment	• • 40 4
Sensor lock Technical data L oven compartment Oven compartment volume in I	
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels	4
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge	4 Bottom
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light	4 Bottom 2 LED spots
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C	4 Bottom 2 LED spots
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C Electronically controlled microwave power	4 Bottom 2 LED spots 40-100 80 / 150 / 300 / 450 / 600
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C Electronically controlled microwave power Power levels in W	4 Bottom 2 LED spots 40-100 80 / 150 / 300 / 450 / 600 / 850 / 1000 W
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C Electronically controlled microwave power Power levels in W Niche width in mm	4 Bottom 2 LED spots 40-100 80 / 150 / 300 / 450 / 600 / 850 / 1000 W 560-568
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C Electronically controlled microwave power Power levels in W Niche width in mm Niche height in mm	4 Bottom 2 LED spots 40-100 80 / 150 / 300 / 450 / 600 / 850 / 1000 W 560-568 450-452
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C Electronically controlled microwave power Power levels in W Niche width in mm Niche height in mm Niche depth in mm	4 Bottom 2 LED spots 40-100 80 / 150 / 300 / 450 / 600 / 850 / 1000 W 560-568 450-452 550
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C Electronically controlled microwave power Power levels in W Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm	4 Bottom 2 LED spots 40-100 80 / 150 / 300 / 450 / 600 / 850 / 1000 W 560-568 450-452 550 595
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C Electronically controlled microwave power Power levels in W Niche width in mm Niche height in mm Appliance width in mm Appliance height in mm Appliance depth in mm	4 Bottom 2 LED spots 40-100 80 / 150 / 300 / 450 / 600 / 850 / 1000 W 560-568 450-452 550 595 456
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C Electronically controlled microwave power Power levels in W Niche width in mm Niche height in mm Appliance width in mm Appliance height in mm	4 Bottom 2 LED spots 40-100 80 / 150 / 300 / 450 / 600 / 850 / 1000 W 560-568 450-452 550 595 456
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C Electronically controlled microwave power Power levels in W Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Appliance depth in mm Accessories supplied Removable side racks	4 Bottom 2 LED spots 40-100 80 / 150 / 300 / 450 / 600 / 850 / 1000 W 560-568 450-452 550 595 456 573
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C Electronically controlled microwave power Power levels in W Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Accessories supplied Removable side racks Perforated stainless steel cooking containers	4 Bottom 2 LED spots 40-100 80 / 150 / 300 / 450 / 600 / 850 / 1000 W 560-568 450-452 550 595 456 573
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C Electronically controlled microwave power Power levels in W Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Accessories supplied Removable side racks Perforated stainless steel cooking containers Solid stainless steel cooking containers, 40 mm high	4 Bottom 2 LED spots 40-100 80 / 150 / 300 / 450 / 600 / 850 / 1000 W 560-568 450-452 550 595 456 573 1 pair 2
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C Electronically controlled microwave power Power levels in W Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Accessories supplied Removable side racks Perforated stainless steel cooking containers	4 Bottom 2 LED spots 40-100 80 / 150 / 300 / 450 / 600 / 850 / 1000 W 560-568 450-452 550 595 456 573 1 pair 2
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C Electronically controlled microwave power Power levels in W Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Accessories supplied Removable side racks Perforated stainless steel cooking containers Solid stainless steel cooking containers, 40 mm high Wire rack	4 Bottom 2 LED spots 40-100 80 / 150 / 300 / 450 / 600 / 850 / 1000 W 560-568 450-452 550 595 456 573 1 pair 2 1
Sensor lock Technical data L oven compartment Oven compartment volume in I No. of shelf levels Door hinge Oven light Steam oven temperature regulation in °C Electronically controlled microwave power Power levels in W Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Accessories supplied Removable side racks Perforated stainless steel cooking containers Solid stainless steel cooking containers, 40 mm high	4 Bottom 2 LED spots 40-100 80 / 150 / 300 / 450 / 600 / 850 / 1000 W 560-568 450-452 550 595 456 573 1 pair 2 1 1



DGM 7640 Gen 7000 Steam Oven / Microwave





