

## DGM 7640 Gen 7000 Steam Oven / Microwave



Steam oven with microwave Design line VitroLine Graphite Grey Convenience features  Quick & Gentle - External steam generation - Menu cooking without transfer of flavours - Automatic programmes with ability to make individual adjustments Keeping warm - *  Functions - Function -	Model and design	
Design line VitroLine Graphite Grey  Colour Graphite Grey  Convenience features  Quick & Gentle	_	•
Colour Convenience features Quick & Gentle External steam generation Menu cooking without transfer of flavours Automatic programmes with ability to make individual adjustments Keeping warm Functions Defrost Automatic programmes Ocuntry-specific automatic programmes Steam cooking with microwave Sous-vide Reheating Microwave Eco steam cooking Special applications User convenience Display MotionReact: display comes on when movement is detected MotionReact: display comes on when movement is detected MotionReact: detection of cabinet fronts SoftOpen Multillingual MyMiele Help function Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking duration Programmable end of selevel tenened Pecommended temperature Quick microwave  Leach of the very support of the programme of the programme of the programme of the programmable end of cooking duration Programmable end of cooking duration Programmable end of selevel tenened of the programme of the programme of the programme of the programmable end of cooking duration Programmable defered temperature is reached Recommended temperature of the programmes User programmes  User programmes		Vitrol ine
Convenience features           Quick & Gentle         •           External steam generation         •           Menu cooking without transfer of flavours         •           Automatic programmes with ability to make individual adjustments         •           Keeping warm         •           Functions         •           Defrost         •           Automatic programmes         •           Country-specific automatic programmes         •           Country-specific automatic programmes         •           Steam cooking         •           Steam cooking with microwave         •           Sous-vide         •           Reheating         •           Microwave         •           Ecc steam cooking         •           Special applications         •           Ver convenience         •           Display         M Touch S           MotionReact: display comes on when movement is detected         •           MotionReact: display comes on when movement is detected         •           MotionReact: detection of cabinet fronts         •           SoffOpen         •           MultiLingual         •           MyMiele         •		·
Outlok & Gentile       •         External steam generation       •         Menu cooking without transfer of flavours       •         Automatic programmes with ability to make individual adjustments       •         Keeping warm       •         Functions       •         Defrost       •         Automatic programmes       •         Country-specific automatic programmes       •         Steam cooking       •         Steam cooking with microwave       •         Sous-vide       •         Reheating       •         Microwave       •         Cos steam cooking       •         Special applications       •         User convenience       •         Display       M Touch S         MotionReact: dight comes on when movement is detected       •         MotionReact: dight comes on when movement is detected       •         MotionReact: detection of cabinet fronts       •         SoftOpen       •         MultiLingual       •         MotionReact: detection of cabinet fronts       •         SoftOpen       •         MultiLingual       •         MyMiele       •         Help functi		
External steam generation  Menu cooking without transfer of flavours  Automatic programmes with ability to make individual adjustments  Keeping warm  Punctions  Defrost  Automatic programmes		•
Menu cooking without transfer of flavours  Automatic programmes with ability to make individual adjustments  Keeping warm  Punctions  Defrost  Automatic programmes  Country-specific automatic programmes  Steam cooking  Steam cooking  Steam cooking   Steam cooking   Microwave  Cous-vide  Fenetating  Microwave  Costeam cooking  Special applications  User convenience  Display  MotionReact: light comes on when movement is detected  MotionReact: audible signal is acknowledged when movement is detected  MotionReact: detection of cabinet fronts  SoftOpen  MyMiele  Help function  Quantity-independent cooking  Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme  Time display  Minute minder  Programmable end of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Actual temperature display  Pesime docking with elementary is eached  Recommended temperature  Quick microwave  Lear of a vicinity and a vic		•
Automatic programmes with ability to make individual adjustments Keeping warm  Punctions  Defrost  Automatic programmes  Country-specific automatic programmes  Steam cooking  Steam cooking  Steam cooking with microwave  Sus-vide  Reheating  Microwave  Eco steam cooking  Special applications  User convenience  Display  MotionReact: display comes on when movement is detected  MotionReact: audibe signal is acknowledged when movement is detected  MotionReact: detection of cabinet fronts  SoftOpen  MultiLingual  MyMiele  Help function  Quantity-independent cooking  Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam cooking on up to 3 levels at the same time  Automatic menu cooking duration  Programmable end of cooking duration  Programmable start of cooking duration  Programmable start of cooking duration  Actual temperature display  Pesired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes  P.  Quick microwave  Let programmes  Let programm		•
Functions Defrost Automatic programmes Country-specific automatic programmes Steam cooking on up to 3 levels at the same time Steam reduction before end of programme Steam reduction before end of programme Steam reduction before end of programme Steam reduction before end of cooking duration Programmable end of cooking duration Programmable start display Steam desired temperature display Steam cooking duration Steam ste	Automatic programmes with ability to make individual	•
Punctions   Defrost   Punctions   Puncti		•
Defrost Automatic programmes  Automatic programmes  Country-specific automatic programmes  Steam cooking  Steam cooking with microwave  Sous-vide  Reheating  Microwave  Eco steam cooking  Special applications  User convenience  Display  MotionReact: light comes on when movement is detected  MotionReact: audible signal is acknowledged when movement is detected  MotionReact: detection of cabinet fronts  SoftOpen  MultiLingual  MyMilele  Help function  Popcom function  Quantity-independent cooking  Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme  Time display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable end of cooking duration  Programmable desired temperature is reached  Recommended temperature  Quick microwave  User programmes  •		
Country-specific automatic programmes  Steam cooking  Steam cooking with microwave  Sous-vide  Reheating  Microwave  Eco steam cooking  Special applications  User convenience  Display  M Touch S  MotionReact: light comes on when movement is detected  MotionReact: display comes on when movement is detected  MotionReact: audible signal is acknowledged when movement is detected  MotionReact: detection of cabinet fronts  SoftOpen  MultiLingual  MyMiele  Help function  Quantity-independent cooking  Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme  Time display  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable stern desiplay  Desired temperature display  Pesion desired temperature  Quick microwave  User programmes	Defrost	•
Country-specific automatic programmes  Steam cooking  Steam cooking with microwave  Sous-vide  Reheating  Microwave  Eco steam cooking  Special applications  User convenience  Display  M Touch S  MotionReact: light comes on when movement is detected  MotionReact: display comes on when movement is detected  MotionReact: audible signal is acknowledged when movement is detected  MotionReact: detection of cabinet fronts  SoftOpen  MultiLingual  MyMiele  Help function  Quantity-independent cooking  Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme  Time display  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable stern desiplay  Desired temperature display  Pesion desired temperature  Quick microwave  User programmes	Automatic programmes	•
Steam cooking with microwave Sous-vide Reheating Microwave Eco steam cooking Special applications Special applications User convenience Display MotionReact: light comes on when movement is detected MotionReact: audible signal is acknowledged when movement is detected MotionReact: addible signal is acknowledged when movement is detected MotionReact: detection of cabinet fronts SoftOpen MultiLingual MyMiele Help function Popcorn function Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Time display Minute minder Programmable start of cooking duration Programmable cooking duration		•
Sous-vide Reheating Microwave Eco steam cooking Special applications User convenience Display MotionReact: light comes on when movement is detected MotionReact: display comes on when movement is detected MotionReact: audible signal is acknowledged when movement is detected MotionReact: detection of cabinet fronts SoftOpen MultiLingual MyMiele Help function Popcorn function Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Time display Date display Minute minder Programmable start of cooking duration Programmable demperature display Audible signal when desired temperature is reached Recommended temperature Quick microwave User programmes		•
Sous-vide Reheating Microwave Eco steam cooking Special applications User convenience Display MotionReact: light comes on when movement is detected MotionReact: display comes on when movement is detected MotionReact: audible signal is acknowledged when movement is detected MotionReact: detection of cabinet fronts SoftOpen MultiLingual MyMiele Help function Popcorn function Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Time display Date display Minute minder Programmable start of cooking duration Programmable demperature display Audible signal when desired temperature is reached Recommended temperature Quick microwave User programmes	Steam cooking with microwave	•
Microwave Eco steam cooking • Special applications • Special applica	-	•
Eco steam cooking Special applications User convenience Display M Touch S MotionReact: light comes on when movement is detected MotionReact: audible signal is acknowledged when movement is detected MotionReact: audible signal is acknowledged when movement is detected MotionReact: detection of cabinet fronts SoftOpen MultiLingual MyMiele Help function Popcorn function Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Time display Date display Date display Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable signal when desired temperature is reached Recommended temperature Quick microwave User programmes	Reheating	•
Special applications User convenience Display M Touch S MotionReact: light comes on when movement is detected MotionReact: display comes on when movement is detected MotionReact: audible signal is acknowledged when movement is detected MotionReact: detection of cabinet fronts SoftOpen MultiLingual MyMiele Help function Popcorn function Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Time display Date display Minute minder Programmable start of cooking duration Programmable signal when desired temperature is reached Recommended temperature Quick microwave User programmes	Microwave	•
Special applications User convenience Display M Touch S MotionReact: light comes on when movement is detected MotionReact: display comes on when movement is detected MotionReact: audible signal is acknowledged when movement is detected MotionReact: detection of cabinet fronts SoftOpen MultiLingual MyMiele Help function Popcorn function Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Time display Date display Minute minder Programmable start of cooking duration Programmable signal when desired temperature is reached Recommended temperature Quick microwave User programmes	Eco steam cooking	•
Display M Touch S  MotionReact: light comes on when movement is detected  MotionReact: display comes on when movement is detected  MotionReact: audible signal is acknowledged when movement is detected  MotionReact: detection of cabinet fronts  SoftOpen  MultiLingual  MyMiele  Help function  Popcorn function  Quantity-independent cooking Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme  Time display  Date display  Minute minder  Programmable end of cooking duration  Programmable signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes		•
MotionReact: light comes on when movement is detected  MotionReact: display comes on when movement is detected  MotionReact: audible signal is acknowledged when movement is detected  MotionReact: detection of cabinet fronts  SoftOpen  MultiLingual  MyMiele  Help function  Popcorn function  Quantity-independent cooking Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme  Time display  Date display  Minute minder  Programmable end of cooking duration  Programmable signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes	User convenience	
MotionReact: display comes on when movement is detected  MotionReact: audible signal is acknowledged when movement is detected  MotionReact: detection of cabinet fronts  SoftOpen  MultiLingual  MyMiele  Help function  Popcorn function  Quantity-independent cooking Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme  Time display  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes	Display	M Touch S
MotionReact: audible signal is acknowledged when movement is detected  MotionReact: detection of cabinet fronts  SoftOpen  MultiLingual  MyMiele  Help function  Popcorn function  Quantity-independent cooking  Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme  Time display  Date display  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes	MotionReact: light comes on when movement is detected	•
is detected  MotionReact: detection of cabinet fronts  SoftOpen  MultiLingual  MyMiele  Help function  Popcorn function  Quantity-independent cooking  Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme  Time display  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable cooking duration  Programmable cooking duration  Actual temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes	MotionReact: display comes on when movement is detected	•
SoftOpen  MultiLingual  MyMiele  Help function  Popcorn function  Quantity-independent cooking  Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme  Time display  Date display  Minute minder  Programmable start of cooking duration  Programmable cooking duration  Programmable cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes		•
MultiLingual  MyMiele  Help function  Popcorn function  Quantity-independent cooking  Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme  Time display  Date display  Date display  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes	MotionReact: detection of cabinet fronts	•
MyMiele  Help function  Popcorn function  Quantity-independent cooking  Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme  Time display  Date display  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes  20	SoftOpen	•
Help function Popcorn function Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Time display Date display Date display Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Desired temperature display Audible signal when desired temperature is reached Recommended temperature Quick microwave User programmes  •	MultiLingual	•
Popcorn function Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme  Time display Date display  Date display  Minute minder  Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration  Programmable cooking duration  Actual temperature display Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature Quick microwave  User programmes  •	MyMiele	•
Quantity-independent cooking Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam Steam reduction before end of programme  Time display Date display  Minute minder  Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration  Programmable cooking duration  Programmable cooking duration  Actual temperature display Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes  •	Help function	•
Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme  Time display  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes  •	Popcorn function	•
Automatic menu cooking with steam  Steam reduction before end of programme  Time display  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes	Quantity-independent cooking	•
Steam reduction before end of programme  Time display  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes	Steam cooking on up to 3 levels at the same time	•
Time display  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes	Automatic menu cooking with steam	•
Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes	Steam reduction before end of programme	•
Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes	Time display	•
Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration  Actual temperature display Desired temperature display  Audible signal when desired temperature is reached Recommended temperature Quick microwave User programmes  •	Date display	•
Programmable end of cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes	Minute minder	•
Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes  •  Quick microwave  20	Programmable start of cooking duration	•
Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes  •  Quick microwave  20		•
Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes  •	Programmable cooking duration	•
Audible signal when desired temperature is reached  Recommended temperature  Quick microwave  User programmes  •  20	Actual temperature display	•
Recommended temperature  Quick microwave  User programmes  • 20	Desired temperature display	•
Quick microwave User programmes 20	Audible signal when desired temperature is reached	•
User programmes 20	Recommended temperature	•
1 0	Quick microwave	•
Individual settings •	User programmes	20
	Individual settings	•



## DGM 7640 Gen 7000 Steam Oven / Microwave



Cleaning and care	
Stainless steel front with CleanSteel finish	•
Stainless steel oven compartment with linen structure	•
External steam generator	•
Floor heater for condensate reduction	•
Soak maintenance programme	•
Quick-release side racks	•
Removable side racks	•
Automatic descaling	•
CleanGlass door	•
Steam technology and water supply	
DualSteam	•
Water reserve for approx. 90 minutes of cooking	•
Fresh water container	•
Removal of fresh water container with Push2release	•
mechanism	-
Appliance networking	
Miele@home	•
MobileControl	•
SuperVision display	•
WiFiConn@ct	•
Safety	
Appliance cooling system and touch-cool front	•
Safety switch-off	•
System lock	•
Vapour cooling system	•
Sensor lock	•
Technical data	
L oven compartment	•
Oven compartment volume in I	40
No. of shelf levels	4
Door hinge	Bottom
Oven light	2 LED spots
Steam oven temperature regulation in °C	40-100
Electronically controlled microwave power	•
Power levels in W	80 / 150 / 300 / 450 / 600 / 850 / 1000 W
Niche width in mm	560-568
Niche height in mm	450-452
Niche depth in mm	550
Appliance width in mm	595
Appliance height in mm	456
	573
Appliance depth in mm	313
Appliance depth in mm  Accessories supplied	373
	1 pair
Accessories supplied	
Accessories supplied Removable side racks	1 pair
Accessories supplied Removable side racks Perforated stainless steel cooking containers	1 pair 2
Accessories supplied Removable side racks Perforated stainless steel cooking containers Solid stainless steel cooking containers, 40 mm high	1 pair 2 1
Accessories supplied Removable side racks Perforated stainless steel cooking containers Solid stainless steel cooking containers, 40 mm high Solid stainless steel cooking containers, 80 mm high	1 pair 2 1

## Miele

DGM 7640 Gen 7000 Steam Oven / Microwave





