

## DGC 7840X Gen 7000 Steam Combi



Combi atoom ayon	
Combi steam oven	•
Handleless	• A .II *
Design line	ArtLine
Colour	Graphite Grey
Convenience features	
Rapid heat-up	
Pre-heat	•
External steam generation	•
Climate sensor	·
Individual humidity settings in combination cooking	•
Menu cooking without transfer of flavours	•
Prepare plated meals with "Mix & Match" app function	•
Wireless food probe	•
Automatic programmes with ability to make individual adjustments	•
Keeping warm	•
Crisp function	•
Operating modes	
Defrost	•
Automatic programmes	•
Country-specific automatic programmes	•
Combination cooking	•
Combination cooking with Fan plus	•
Combination cooking with Conventional heat	•
Combination cooking with Full grill	•
Steam cooking	•
Sous-vide	•
Reheating	•
Roast with moisture	•
	•
Grill	
Economy grill	•
Fan plus	•
Intensive bake	•
Cake plus	
Conventional heat	•
Top heat	•
Bottom heat	
Fan grill	•
Eco Fan plus	•
Plate warming	•
Eco steam cooking	•
Special applications	•
User convenience	
MotionReact: light comes on when movement is detected	•
MotionReact: display comes on when movement is detected	•
MotionReact: audible signal is acknowledged when movement is detected	•
MotionReact: detection of cabinet fronts	•
SoftOpen	•
SoftClose	•



## DGC 7840X Gen 7000 Steam Combi



User convenience	
Touch2Open	•
MultiLingual	
MyMiele	
Help function	
Motorised opening and closing lift-up fascia panel	•
Quantity-independent cooking	•
Steam cooking on up to 3 levels at the same time	•
Automatic menu cooking with steam	•
Steam reduction before end of programme	•
Polyphonic audible signal tones	•
Time display	•
Date display	•
Minute minder	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	•
Actual temperature display	•
Desired temperature display	•
Audible signal when desired temperature is reached	•
Recommended temperature	•
User programmes	20
Sabbath programme	•
Individual settings	•
Cleaning and care	
Stainless steel oven compartment with linen structure and PerfectClean finish	•
Hinged grill element	
Tilliged grill cierrient	•
External steam generator	•
	•
External steam generator	•
External steam generator Floor heater for condensate reduction	<del>.</del>
External steam generator Floor heater for condensate reduction Soak maintenance programme	•
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme	•
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme	•
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks	•
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door	•
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling	•
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam	•
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking	•
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container	•
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel	· · · · · · · · · · · · · · · · · · ·
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter	•
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking	· · · · · · · · · · · · · · · · · · ·
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home	• • • • • • • • • • • • • • • • • • •
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl	· · · · · · · · · · · · · · · · · · ·
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home	• • • • • • • • • • • • • • • • • • •



## DGC 7840X Gen 7000 Steam Combi



Safety	
Appliance cooling system and touch-cool front	•
Safety switch-off	•
System lock	•
Vapour cooling system	•
Sensor lock	•
Technical data	
XL oven compartment	•
Oven compartment volume in I	48
No. of shelf levels	3
Shelf level labelling	•
Door hinge	Bottom
Oven light	BrilliantLight
Oven temperature regulation in °C	30-225
Steam oven temperature regulation in °C	40-100
Niche width in mm	560-568
Niche height in mm	450-452
Niche depth in mm	550
Appliance width in mm	595
Appliance height in mm	456
Appliance depth in mm	572
Accessories supplied	
Universal tray with PerfectClean	1
Wire rack with PerfectClean	1
FlexiClip runners with PerfectClean	1 pair
Removable side racks with PerfectClean	1 pair
Perforated stainless steel cooking containers	2
Solid stainless steel cooking containers	1
Descaling tablets	2



DGC 7840X Gen 7000 Steam Combi







