

DGC 7840 Gen 7000 Steam Combi



Model and design	
Combi steam oven	•
Design line	PureLine
Colour	Stainless Steel/CleanSteel
Convenience features	
Rapid heat-up	•
Pre-heat Pre-heat	•
External steam generation	•
Climate sensor	•
Individual humidity settings in combination cooking	•
Menu cooking without transfer of flavours	•
Prepare plated meals with "Mix & Match" app function	•
Wireless food probe	•
Automatic programmes with ability to make individual adjustments	•
Keeping warm	•
Crisp function	•
Operating modes	
Defrost	•
Automatic programmes	•
Country-specific automatic programmes	•
Combination cooking	
Combination cooking with Fan plus	•
	•
Combination cooking with Conventional heat	•
Combination cooking with Full grill	•
Steam cooking	÷
Sous-vide	•
Reheating	•
Roast with moisture	•
Grill	
Economy grill	
Fan plus	•
Intensive bake	-
Cake plus	•
Conventional heat	
Top heat	
Bottom heat	
Fan grill	•
Eco Fan plus	•
Plate warming	•
Eco steam cooking	•
Special applications	•
User convenience	
Display	M Touch
MotionReact: light comes on when movement is detected	•
MotionReact: display comes on when movement is detected	•
MotionReact: audible signal is acknowledged when movement is detected	•
MotionReact: detection of cabinet fronts	•
SoftOpen	•



DGC 7840 Gen 7000 Steam Combi



SoftClose MultiLingual MultiLingual MyMiele Help function Motorised opening and closing lift-up fascia panel Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Polyphonic audible signal tones Time display Date display Programmable start of cooking duration Programmable end of cooking duration Programmable end of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable end of splay Audible signal when desired temperature is reached Recommended temperature display Audible signal when desired temperature is reached Recommended temperature User programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Roor heater for condensate reduction Soak maintenance programme Oven compartment dying programme Quick-release side racks Automatic descaling CleanClass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display WiFiConn@ct • •	User convenience	
MyMiele Help function Motorised opening and closing lift-up fascia panel Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Polyphonic audible signal tones Time display Pate display Pate display Pate display Programmable start of cooking duration Programmable end of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable end esired temperature is reached Recommended temperature display Pasibus display Pate display Pate display Pate display Pate display Programmable end of cooking duration Programmable end of cooking of the duration of the display Patental stage display Patental display	SoftClose	•
Help function Motorised opening and closing lift-up fascia panel Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Polyphonic audible signal tones Time display Date display Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Audible signal when desired temperature is reached Recommended temperature User programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and Perfect/Clean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display e Mater reserve for descaled Public Control SuperVision display e Steam Echnology of minutes SuperVision display e Steam Echnology SuperVision display e Steam Echnology SuperVision display e Steam Echnology SuperVision display e SuperVision display e Steam Echnology SuperVision display e Steam Ech	MultiLingual	•
Motorised opening and closing lift-up fascia panel Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Polyphonic audible signal tones Time display Date display Minute minder Programmable start of cooking duration Programmable start of cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Desired temperature display Quible signal when desired temperature is reached Recommended temperature User programme Quible signal when desired temperature is reached Recommended temperature User programme Quible signal when desired temperature is reached Recommended temperature User programme Quible signal when desired temperature is reached Recommended temperature Quible signal when desired temperature is reached Recommended temperature Quible signal when desired temperature is reached Recommended temperature Quible signal when desired temperature is reached Recommended temperature Quible signal when desired temperature is reached Recommended temperature Quible signal when desired temperature is reached Recommended temperature Quible signal when desired temperature is reached Recommended temperature Quible signal when desired temperature is reached Recommended temperature Quible signal when desired temperature is reached Recommended temperature is reached Reco	MyMiele	•
Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Polyphonic audible signal tones Time display Date display Date display Ninute minder Programmable start of cooking duration Programmable start of cooking duration Programmable end of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable end elisplay Audible signal when desired temperature is reached Recommended temperature User programme User programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Hinged grill element External steam generator Programme Rinse maintenance programme Rinse maintenance programme Quick-release side racks Removable side r	Help function	•
Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Polyphonic audible signal tones Time display Date display Date display Date display Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Audible signal when desired temperature is reached Recommended temperature User programmes Databath programme User programme Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks	Motorised opening and closing lift-up fascia panel	•
Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Polyphonic audible signal tones Time display Date display Date display Date display Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Audible signal when desired temperature is reached Recommended temperature User programmes Databath programme User programme Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks		•
Automatic menu cooking with steam Steam reduction before end of programme Polyphonic audible signal tones Time display Date display Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Pesired temperature display Audible signal when desired temperature is reached Recommended temperature Programmes Databet programme		•
Polyphonic audible signal tones Time display Date display Minute minder Programmable start of cooking duration Programmable start of cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Posired temperature Positive desired temperature is reached Recommended temperature Positive desired temperature is reached Positive desired temperature Positive desired temperature Positive desired temperature is reached Positive desired temperature Positive desired temperature is reached Positive desired temperature Positive desired temperature is reached Positive desired temperature		•
Time display Date display Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Desired temperature display Posired temperature display Audible signal when desired temperature is reached Recommended temperature Programmes Desired temperature Programmes Programme Programmes Program	Steam reduction before end of programme	•
Date display Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Actual temperature display Desired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling Clean(Bass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display e Paration Programmable attention Programma	Polyphonic audible signal tones	•
Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Programmable end of cooking duration Programmable cooking duration Actual temperature display Posired temperature display Audible signal when desired temperature is reached Recommended temperature Programmes Programmes Programmes Programme Progra		•
Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Programmable end of cooking duration Programmable cooking duration Actual temperature display Posired temperature display Audible signal when desired temperature is reached Recommended temperature Programmes Programmes Programmes Programme Progra	Date display	•
Programmable end of cooking duration Programmable cooking duration Actual temperature display Desired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Sabbath programme Programmes 20 Sabbath programme Individual settings Programmes Stainless steel front with CleanSteel finish Stainless steel front with CleanSteel finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Prince Condensate reduction Soak maintenance programme Premovable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel MobileControl MobileControl Supprivision display • Automatic display • CleanGlasy • CleanGlass container • Condensate container		•
Programmable end of cooking duration Programmable cooking duration Actual temperature display Desired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Sabbath programme Programmes 20 Sabbath programme Individual settings Programmes Stainless steel front with CleanSteel finish Stainless steel front with CleanSteel finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Prince Condensate reduction Soak maintenance programme Premovable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel MobileControl MobileControl Supprivision display • Automatic display • CleanGlasy • CleanGlass container • Condensate container	Programmable start of cooking duration	•
Programmable cooking duration Actual temperature display Desired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display		•
Actual temperature display Desired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display •	· ·	•
Desired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display 20 20 20 20 20 20 20 20 20 20 20 20 20		•
Audible signal when desired temperature is reached Recommended temperature User programmes 20 Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display		•
Recommended temperature User programmes 20 Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Nerinese maintenance programme Oven compartment drying programme Oven compartment drying programme Quick-release side racks Removable side racks Removable side racks Automatic descalling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display		•
User programmes Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display		•
Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display - CleanGlasplay - CleanGlasy - CleanGlass		20
Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display •	· · ·	•
Cleaning and care Stainless steel front with CleanSteel finish • Stainless steel oven compartment with linen structure and PerfectClean finish • Hinged grill element • External steam generator • Floor heater for condensate reduction • Soak maintenance programme • Rinse maintenance programme • Oven compartment drying programme • Quick-release side racks • Removable side racks • Removable side racks • Automatic descaling • CleanGlass door • Steam technology and water supply • DualSteam • Water reserve for approx. 90 minutes of cooking • Fresh water container • Condensate container behind motorised fascia panel • Drain filter • Appliance networking • Miele@home • MobileControl • SuperVision display •	. 0	•
Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display		
Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display		•
External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display • **Condensate condensate reduction **Condensate container **Condensate container behind motorised fascia panel **Drain filter **Appliance networking Miele@home **MobileControl SuperVision display	Stainless steel oven compartment with linen structure and	•
Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display •	Hinged grill element	•
Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display •	External steam generator	•
Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display •	Floor heater for condensate reduction	•
Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display •	Soak maintenance programme	•
Quick-release side racks • Removable side racks • Automatic descaling • CleanGlass door • Steam technology and water supply • DualSteam • Water reserve for approx. 90 minutes of cooking • Fresh water container • Condensate container behind motorised fascia panel • Drain filter • Appliance networking • Miele@home • MobileControl • SuperVision display •	Rinse maintenance programme	•
Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display	Oven compartment drying programme	•
Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display •	Quick-release side racks	•
CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display	Removable side racks	•
Steam technology and water supply DualSteam • Water reserve for approx. 90 minutes of cooking • Fresh water container • Condensate container behind motorised fascia panel • Drain filter • Appliance networking • Miele@home • MobileControl • SuperVision display •	Automatic descaling	•
DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display	CleanGlass door	•
Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display	Steam technology and water supply	
Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display • • • • • • • • • • • • •	DualSteam	•
Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display • • • • • • • • • • • • •	Water reserve for approx. 90 minutes of cooking	•
Drain filter Appliance networking Miele@home MobileControl SuperVision display • • • • • • • • • • • • •		•
Appliance networking Miele@home MobileControl SuperVision display Appliance networking	Condensate container behind motorised fascia panel	•
Miele@home•MobileControl•SuperVision display•	Drain filter	•
Miele@home•MobileControl•SuperVision display•	Appliance networking	
MobileControl • SuperVision display •	_ · ·	•
SuperVision display •	MobileControl	•
		•
	WiFiConn@ct	•



DGC 7840 Gen 7000 Steam Combi



Safety	
Appliance cooling system and touch-cool front	•
Safety switch-off	•
System lock	•
Vapour cooling system	•
Sensor lock	•
Technical data	
XL oven compartment	•
Oven compartment volume in I	48
No. of shelf levels	3
Shelf level labelling	•
Door hinge	Bottom
Oven light	BrilliantLight
Oven temperature regulation in °C	30-225
Steam oven temperature regulation in °C	40-100
Niche width in mm	560-568
Niche height in mm	450-452
Niche depth in mm	550
Appliance width in mm	595
Appliance height in mm	456
Appliance depth in mm	572
Accessories supplied	
Universal tray with PerfectClean	1
Wire rack with PerfectClean	1
FlexiClip runners with PerfectClean	1 pair
Removable side racks with PerfectClean	1 pair
Perforated stainless steel cooking containers	2
Solid stainless steel cooking containers	1
Descaling tablets	2



DGC 7840 Gen 7000 Steam Combi





