


### DGC 7865

XXL Steam combination oven with mains water and drain connection for steam cooking, baking, roasting with wireless food probe + menu cooking.



- Large touch display with proximity sensor – M Touch + MotionReact
- Perfect results DualSteam technology
- Crispy outside, succulent inside combination cooking
- Miele@home network-enabled WiFi appliance + Mix & Match
- Easy cleaning PerfectClean stainless steel oven compartment

| g with wireless food probe + menu cooking.          |                 |
|---|-----------------|
| Model and design                                    |                 |
| Combi steam ovens                                   | •               |
| VitroLine   | •               |
| Appliance colour                                    | Brilliant white |
| Convenience features                                |                 |
| Rapid heat-up                                       | <u>•</u>        |
| External steam generation                           | •               |
| Oxygen sensor                                       | •               |
| Individual humidity settings in combination cooking | •               |
| Menu cooking without transfer of taste              | •               |
| Mix & Match   | •               |
| Automatic programmes with programmable settings for | •               |
| cooking results  Keeping warm                       | - <del></del>   |
| Operating modes                                     |                 |
| Defrosting Defrosting                               | •               |
| Country-specific automatic programmes               | •               |
| Combination cooking                                 | •               |
| Steam cooking                                       | •               |
| Reheat  | •               |
| Grill operating modes                               | •               |
| Grill   | •               |
| Economy grill                                       | •               |
| Fan plus  | •               |
| Intensive bake                                      | •               |
| Cake plus   | •               |
| Conventional heat                                   | •               |
| Top heat  | •               |
| Bottom heat   | •               |
| Fan grill   | •               |
| Special applications                                | •               |



## DGC 7865

XXL Steam combination oven with mains water and drain connection for steam cooking, baking, roasting with wireless food probe + menu cooking.




| User convenience   |         |
|--|---------|
| Display  | M Touch |
| MultiLingua  | •       |
| MyMiele  | •       |
| Help function  | •       |
| Motorised fascia panel   | •       |
| Quantity-independent cooking   | •       |
| Steam cooking on up to 4 levels at the same time   | •       |
| Automatic menu cooking   | •       |
| Steam reduction before end of programme  | •       |
| Polyphonic buzzers   | •       |
| Timer functions  | •       |
| Time of day display  | •       |
| Date display   | •       |
| Minute minder  | •       |
| Actual temperature display   | •       |
| Recommended temperature  | •       |
| Sabbath programme  | •       |
| Individual settings  | •       |
| Cleaning convenience Stainless-steel oven compartment with linen-weave pattern PerfectClean finish | •       |
| External steam generator   | •       |
| Floor heater for condensate reduction  | •       |
| Maintenance programmes   | •       |
| Soak programme   | •       |
| Rinse programme  | •       |
| Oven compartment drying programme  | •       |
| Quick-release side racks   | •       |
| Automatic descaling  | •       |
| CleanGlass door  | •       |
| Steam technology and water supply  |         |
| DualSteam  | •       |
| Drain filter   | •       |
| Safety   |         |
| Appliance cooling system and touch-cool fronts   | •       |
| Safety switch-off  |         |
| System lock  | •       |
| Vapour cooling system  | •       |



## DGC 7865

XXL Steam combination oven with mains water and drain connection for steam cooking, baking, roasting with wireless food probe + menu cooking.




| Technical data                               |        |
|--|--------|
| Oven compartment volume in I                 | 68     |
| No. of shelf levels                          | 4      |
| Numbered shelf levels                        | •      |
| Door hinge                                   | Bottom |
| Niche depth in mm                            | 555    |
| Appliance width in mm                        | 595    |
| Appliance height in mm                       | 596    |
| Weight in kg                                 | 46.0   |
| Total rated load in kW                       | 3.5    |
| Voltage in V                                 | 230    |
| Number of phases                             | 1      |
| Fuse rating in A                             | 16     |
| Length of supply lead in m                   | 2.0    |
| Standard accessories                         |        |
| Perforated stainless steel cooking container | 2      |
| Solid stainless steel cooking containers     | 1      |

## Míele

### DGC 7865

XXL Steam combination oven with mains water and drain connection for steam cooking, baking, roasting with wireless food probe + menu cooking.







DG2840, DG7x40, DGC7x4x, DG7x6x, DGC7x6x, DGD7635, DGM7x4x, DO7, H28B/BP, H7x4xB/BM/BP, H7x6xB/BP, installation drawing

- 5) 32.5 mm
- 1) 400 mm 2) 360 mm 3) 47 mm 4) 24 mm










DG7x40, DGC7x4x, DGC7x6x, DG7635, DGM7x4x, DO7, H2860B/BP, H7240BM, H7x40BM, H7x4xB/BP, H7x6xB/BP, installation drawings





ESW7x10, EVS 7010 installation drawings


# Míele


### DGC 7865

XXL Steam combination oven with mains water and drain connection for steam cooking, baking, roasting with wireless food probe + menu cooking.











DGC7x65, DGC7x65X installation drawings

- Front view
   Mains connection cable, L=2.000 mm
   Water inlet hose (metal), L=2.000 mm
   Trin hose (plastic), L=3.000 mm
- The distance between the top of the drain hose and the odour trap must not exceed 500 mm.
- 5) Ventilation cut min. 180 cm<sup>2</sup> 6) No connection in this area



DGC7x6x, DGC7x6xX installation drawings



DGC7x6x, DGC7x6xX installation drawings