

## DGC 7460 HC Pro OBSW

## Combination steam oven

for steam cooking, baking, roasting with networking + BrilliantLight.



- 3-in-1 appliance oven, steam and combination cooking
- Fast and even steam distribution with DualSteam technology to seal in more nutrients and vitamins
- Perfect baking and roasting results with combination cooking using dry and moist heat
- Motorised lift-up control panel with SoftClose to access water and condensate container
- Easy thorough cleaning with HydroClean, an automatic self clean function allowing for food residue to be removed with ease leaving the cavity spotlessly clean.

### EAN: 4002516630173 / Material number: 12087460

Construction time and design	
Construction type and design Steam combination oven	•
VitroLine	•
	Obsidian Black
Appliance Colour Convenience features	ODSIGIAIT DIACK
Rapid heat-up	•
Pre-heating	•
External steam generation	•
Oxygen sensor	•
Individual humidity settings in combination cooking	•
Menu cooking without transfer of taste	•
Prepare plated meals with "Mix & Match"	•
Keeping warm	•
Crisp function	•
Operating modes	
Defrost	•
Automatic programmes	•
Combination cooking	•
Combination cooking with Fan plus	•
Combination cooking with Conventional heat	•
Combination cooking with grill	•
Steam cooking	•
Sous-vide	•
Reheat	•
Roast with moisture	•
Grill operating modes	•
Grill	•
Economy grill	•
Fan plus	•
Intensive bake	•
Cake plus	•
Conventional heat	•
Top heat	•
Bottom heat	•
Fan grill	•
Eco fan heat	•
Eco steam cooking	•
Plate warming	•
Special applications	•
User convenience	
Networking with Miele@home	•
Display	DirectSensor
SoftOpen	•
SoftClose	•
MultiLingua	•
Motorised lift-up control panel with SoftClose	•
Quantity-independent cooking	•
Steam cooking on up to 4 levels at the same time	•
Automatic menu cooking	•
Steam reduction before end of programme	•
Time of day display	•



# DGC 7460 HC Pro OBSW

Combination steam oven

for steam cooking, baking, roasting with networking + BrilliantLight.



- 3-in-1 appliance oven, steam and combination cooking
- Fast and even steam distribution with DualSteam technology to seal in more nutrients and vitamins
- Perfect baking and roasting results with combination cooking using dry and moist heat
- Motorised lift-up control panel with SoftClose to access water and condensate container
- Easy thorough cleaning with HydroClean, an automatic self clean function allowing for food residue to be removed with ease leaving the cavity spotlessly clean.

EAN: 4002516630173 / Material number: 12087460

EAN: 40025166301737 Material humber: 12087460	
Date display	•
Minute minder	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	•
Actual temperature display	•
Target temperature display	•
Buzzer when desired temperature is reached	•
Recommended temperature	•
User programmes	•
Sabbath programme	•
Individual settings	•
Efficiency and sustainability	
Power rating in off mode in W	0.5
Power rating in standby mode in W	1.0
Power rating in networked standby in W	2.0
Time until automatic switch to standby in min	20
Time until automatic switch to networked standby in min	20
Time until automatic switch to off mode in min	20
Cleaning convenience	20
Stainless-steel oven interior with linen structure	•
Hinged grill element	•
External steam generator	•
HydroClean	•
	•
Maintenance programmes	
Maintenance programmes Soak programme	•
Soak programme	•
Soak programme Rinse programme	
Soak programme	•
Soak programme Rinse programme Oven compartment drying programme	•
Soak programme Rinse programme Oven compartment drying programme Quick-release side racks	•
Soak programme Rinse programme Oven compartment drying programme Quick-release side racks Removable stainless-steel side racks	•
Soak programme Rinse programme Oven compartment drying programme Quick-release side racks Removable stainless-steel side racks Automatic descaling	•
Soak programme Rinse programme Oven compartment drying programme Quick-release side racks Removable stainless-steel side racks Automatic descaling CleanGlass door	•
Soak programme         Rinse programme         Oven compartment drying programme         Quick-release side racks         Removable stainless-steel side racks         Automatic descaling         CleanGlass door         Steam technology and Water supply	•
Soak programme Rinse programme Oven compartment drying programme Quick-release side racks Removable stainless-steel side racks Automatic descaling CleanGlass door Steam technology and Water supply DualSteam	• • • • • • • • • • • • • • • • • • • •
Soak programme Rinse programme Oven compartment drying programme Quick-release side racks Removable stainless-steel side racks Automatic descaling CleanGlass door <b>Steam technology and Water supply</b> DualSteam Steam generator power in kW	• • • • • • 3.3
Soak programme         Rinse programme         Oven compartment drying programme         Quick-release side racks         Removable stainless-steel side racks         Automatic descaling         CleanGlass door         Steam technology and Water supply         DualSteam         Steam generator power in kW         Fresh water container volume in l         Fresh water container behind motorised control panel         Condensate container behind motorised lift-up control panel	• • • • • 3.3 1.4
Soak programme         Rinse programme         Oven compartment drying programme         Quick-release side racks         Removable stainless-steel side racks         Automatic descaling         CleanGlass door         Steam technology and Water supply         DualSteam         Steam generator power in kW         Fresh water container volume in l         Fresh water container behind motorised control panel	• • • • • 3.3 1.4
Soak programme         Rinse programme         Oven compartment drying programme         Quick-release side racks         Removable stainless-steel side racks         Automatic descaling         CleanGlass door         Steam technology and Water supply         DualSteam         Steam generator power in kW         Fresh water container volume in I         Fresh water container behind motorised control panel         Condensate container behind motorised lift-up control panel         with SoftClose	• • • • • • • • • • • • • • • • • • •
Soak programme         Rinse programme         Oven compartment drying programme         Quick-release side racks         Removable stainless-steel side racks         Automatic descaling         CleanGlass door         Steam technology and Water supply         DualSteam         Steam generator power in kW         Fresh water container volume in I         Fresh water container behind motorised control panel         Condensate container behind motorised lift-up control panel         with SoftClose         Drain filter	• • • • • • • • • • • • • • • • • • •
Soak programme         Rinse programme         Oven compartment drying programme         Quick-release side racks         Removable stainless-steel side racks         Automatic descaling         CleanGlass door         Steam technology and Water supply         DualSteam         Steam generator power in kW         Fresh water container volume in I         Fresh water container behind motorised control panel         Condensate container behind motorised lift-up control panel         with SoftClose         Drain filter         Safety	• • • • • • • • • • • • • • • • • • •
Soak programme         Rinse programme         Oven compartment drying programme         Quick-release side racks         Removable stainless-steel side racks         Automatic descaling         CleanGlass door         Steam technology and Water supply         DualSteam         Steam generator power in kW         Fresh water container volume in I         Fresh water container behind motorised control panel         Condensate container behind motorised lift-up control panel         with SoftClose         Drain filter         Safety         Appliance cooling system and touch-cool front	• • • • • • • • • • • • • • • • • • •
Soak programme         Rinse programme         Oven compartment drying programme         Quick-release side racks         Removable stainless-steel side racks         Automatic descaling         CleanGlass door         Steam technology and Water supply         DualSteam         Steam generator power in kW         Fresh water container volume in l         Fresh water container behind motorised control panel         Condensate container behind motorised lift-up control panel         with SoftClose         Drain filter         Safety         Appliance cooling system and touch-cool front         Safety switch-off	• • • • • • • • • • • • • • • • • • •
Soak programme         Rinse programme         Oven compartment drying programme         Quick-release side racks         Removable stainless-steel side racks         Automatic descaling         CleanGlass door         Steam technology and Water supply         DualSteam         Steam generator power in kW         Fresh water container volume in I         Fresh water container behind motorised control panel         Condensate container behind motorised lift-up control panel         with SoftClose         Drain filter         Safety         Appliance cooling system and touch-cool front         Safety switch-off         System lock	• • • • • • • 3.3 1.4 • • • • • •
Soak programme         Rinse programme         Oven compartment drying programme         Quick-release side racks         Removable stainless-steel side racks         Automatic descaling         CleanGlass door         Steam technology and Water supply         DualSteam         Steam generator power in kW         Fresh water container volume in I         Fresh water container behind motorised control panel         Condensate container behind motorised lift-up control panel         with SoftClose         Drain filter         Safety         Appliance cooling system and touch-cool front         Safety switch-off         System lock         Vapour cooling system	• • • • • • • 3.3 1.4 • • • • • •
Soak programme         Rinse programme         Oven compartment drying programme         Quick-release side racks         Removable stainless-steel side racks         Automatic descaling         CleanGlass door         Steam technology and Water supply         DualSteam         Steam generator power in kW         Fresh water container volume in I         Fresh water container behind motorised control panel         Condensate container behind motorised lift-up control panel         with SoftClose         Drain filter         Safety         Appliance cooling system and touch-cool front         Safety switch-off         System lock         Vapour cooling system	• • • • • • • 3.3 1.4 • • • • • •



## DGC 7460 HC Pro OBSW Combination steam oven for steam cooking, baking, roasting with networking + BrilliantLight.



- 3-in-1 appliance oven, steam and combination cooking
- Fast and even steam distribution with DualSteam technology to seal in more nutrients and vitamins
- Perfect baking and roasting results with combination cooking using dry and moist heat
- Motorised lift-up control panel with SoftClose to access water and condensate container
- Easy thorough cleaning with HydroClean, an automatic self clean function allowing for food residue to be removed with ease leaving the cavity spotlessly clean.

EAN: 4002516630173 / Material number: 12087460


No. of shelf levels	4
Appliance dimensions (W x H x D) in mm	595 x 595 x 573
Numbered shelf levels	•
Door hinge	Bottom
Oven light	BrilliantLight
Oven temperature regulation min. in °C	30
Oven temperature regulation max. in °C	230
Electronic steam oven temperature regulation min. in °C	40
Electronic steam oven temperature regulation max. in °C	100
Niche width min. in mm	560
Niche width max. in mm	568
Niche height min. in mm	590
Niche height max. in mm	595
Niche depth in mm	550
Appliance width in mm	595
Appliance height in mm	595
Appliance depth in mm	573
Weight in kg	46.4
Total rated load in kW	3.45
Voltage in V	230
Frequency in Hz	50
Number of phases	1
Fuse rating in A	16
Mains cable with plug	•
Length of supply lead in m	2
Accessories supplied	
Universal tray with PerfectClean	1
Baking and roasting rack with PerfectClean	1
Removable side runners (pair)	1
No. of perforated stainless-steel cooking container	1
No. of solid stainless-steel cooking containers	1
HydroClean cleaning agent	1
Descaling tablets	2



# DGC 7460 HC Pro OBSW Installation diagrams.


### Installation in a tall unit

The furniture housing unit must not have a back panel fitted behind the building-in niche.



### Installation in a base unit

When building the combi steam oven into a base unit underneath a cooktop, please also observe the installation instructions for the cooktop as well as the building-in height required for the cooktop



## Side View

