

# DGC 7860 HC Pro OBSW Combi steam oven for steam cooking, baking, roasting with wireless food probe + menu cooking.



- 3-in-1 appliance oven, steam and combination cooking
- Fast and even steam distribution with DualSteam technology to seal in more nutrients and vitamins
- Perfect baking and roasting results with combination cooking using dry and moist heat
- Motorised lift-up control panel with SoftClose to access water and condensate container
- Easy thorough cleaning with HydroClean, an automatic self clean function allowing for food residue to be removed with ease leaving the cavity spotlessly clean.

EAN: 4002516630746 / Material number: 12087870

| Construction type and design  |                  |
|---|------------------|
| Combination steam oven  | •                |
|   |                  |
| VitroLine   | Olasidian Dlast. |
| Appliance Colour  Convenience features  | Obsidian Black   |
|   |                  |
| Rapid heat-up   | •                |
| Pre-heating  External steam generation  | <del>`</del>     |
| External steam generation  Overgon consor   | •                |
| Oxygen sensor Individual humidity settings in combination cooking                                     | •                |
| Menu cooking without transfer of taste  | •                |
| Prepare plated meals with "Mix & Match"   | •                |
| Food probe  | Without cable    |
| Automatic programmes with ability to make individual adjustments                                      | •                |
| Keeping warm  | •                |
| Crisp function  | •                |
| Operating modes   |                  |
| Defrost   | •                |
| Automatic programmes  | •                |
| Combination cooking   | •                |
| Combination cooking with Fan plus   | •                |
| Combination cooking with Conventional heat  | •                |
| Combination cooking with grill  | •                |
| Steam cooking   | •                |
| Sous-vide   | •                |
| Reheat  | •                |
| Roast with moisture   | •                |
| Grill operating modes   | •                |
| Grill   | •                |
| Economy grill   | •                |
| Fan plus  | •                |
| Intensive bake  | •                |
|   |                  |
| Cake plus Conventional heat   |                  |
| _ :   | •                |
| Top heat  Bottom heat   | •                |
|   | •                |
| Fan grill  Eco fan heat   | •                |
|   |                  |
| Eco steam cooking   | •                |
| Plate warming   | •                |
| Special applications  | •                |
| User convenience  |                  |
| Networking with Miele@home  | M Touch          |
| Display  Metian Passet, light sames an whan mayament is detected.                                     | M Touch          |
| MotionReact: light comes on when movement is detected  MotionReact: display comes on when movement is | •                |
| MotionReact: audible signal is acknowledged when movement is detected                                 | •                |
| MotionReact: detection of cabinet fronts  | •                |
|   | •                |
| SoftOpen  |                  |



## DGC 7860 HC Pro OBSW Combi steam oven for steam cooking, baking, roasting with wireless food probe + menu cooking.



- 3-in-1 appliance oven, steam and combination cooking
- Fast and even steam distribution with DualSteam technology to seal in more nutrients and vitamins
- Perfect baking and roasting results with combination cooking using dry and moist heat
- Motorised lift-up control panel with SoftClose to access water and condensate container
- Easy thorough cleaning with HydroClean, an automatic self clean function allowing for food residue to be removed with ease leaving the cavity spotlessly clean.

EAN: 4002516630746 / Material number: 12087870

| EAN: 4002516630746 / Material number: 12087870          |     |
|---|-----|
| SoftClose   | •   |
| MultiLingua   | •   |
| Motorised lift-up control panel with SoftClose          | •   |
| Steam cooking on up to 4 levels at the same time        | •   |
| Automatic menu cooking                                  | •   |
| Steam reduction before end of programme                 | •   |
| Polyphonic buzzers                                      | •   |
| Time of day display                                     | •   |
| Date display  | •   |
| Minute minder   | •   |
| Programmable start of cooking duration                  | •   |
| Programmable end of cooking duration                    | •   |
| Actual temperature display                              | •   |
| Target temperature display                              | •   |
| Buzzer when desired temperature is reached              | •   |
| Recommended temperature                                 | •   |
| User programmes   | •   |
| Sabbath programme                                       | •   |
| Individual settings                                     | •   |
| MotionReact proximity sensor                            | •   |
| Efficiency and sustainability                           |     |
| Power rating in off mode in W                           | 0.5 |
| Power rating in standby mode in W                       | 1.0 |
| Power rating in networked standby in W                  | 2.0 |
| Time until automatic switch to standby in min           | 20  |
| Time until automatic switch to networked standby in min | 20  |
| Time until automatic switch to off mode in min          | 20  |
| Cleaning convenience                                    |     |
| Stainless-steel oven interior with linen structure      | •   |
| Hinged grill element                                    | •   |
| External steam generator                                | •   |
| HydroClean  | •   |
| Maintenance programmes                                  | •   |
| Soak programme  | •   |
| Rinse programme   | •   |
| Oven compartment drying programme                       | •   |
| Quick-release side racks                                | •   |
| Removable stainless-steel side racks                    | •   |
| Automatic descaling                                     | •   |
| CleanGlass door   | •   |
| Steam technology and Water supply                       |     |
| DualSteam   | •   |
| Steam generator power in kW                             | 3.3 |
| Fresh water container volume in I                       | 1.4 |
| Fresh water container behind motorised control panel    | •   |



## DGC 7860 HC Pro OBSW Combi steam oven for steam cooking, baking, roasting with wireless food probe + menu cooking.



- 3-in-1 appliance oven, steam and combination cooking
- Fast and even steam distribution with DualSteam technology to seal in more nutrients and vitamins
- Perfect baking and roasting results with combination cooking using dry and moist heat
- Motorised lift-up control panel with SoftClose to access water and condensate container
- Easy thorough cleaning with HydroClean, an automatic self clean function allowing for food residue to be removed with ease leaving the cavity spotlessly clean.

EAN: 4002516630746 / Material number: 12087870


| Safety  |                 |
|---|-----------------|
| Appliance cooling system and touch-cool front           | •               |
| Safety switch-off                                       | •               |
| System lock   | •               |
| Vapour cooling system                                   | •               |
| Sensor lock   | •               |
| Technical data  |                 |
| Oven compartment volume in I                            | 68              |
| No. of shelf levels                                     | 4               |
| Appliance dimensions (W x H x D) in mm                  | 595 x 495 x 573 |
| Numbered shelf levels                                   | •               |
| Door hinge  | Bottom          |
| Oven light  | BrilliantLight  |
| Oven temperature regulation min. in °C                  | 30              |
| Oven temperature regulation max. in °C                  | 230             |
| Electronic steam oven temperature regulation min. in °C | 40              |
| Electronic steam oven temperature regulation max. in °C | 100             |
| Niche width min. in mm                                  | 560             |
| Niche width max. in mm                                  | 568             |
| Niche height min. in mm                                 | 590             |
| Niche height max. in mm                                 | 595             |
| Niche depth in mm                                       | 550             |
| Appliance width in mm                                   | 595             |
| Appliance height in mm                                  | 595             |
| Appliance depth in mm                                   | 573             |
| Weight in kg  | 46.4            |
| Total rated load in kW                                  | 3.45            |
| Voltage in V  | 230             |
| Frequency in Hz   | 50              |
| Number of phases  | 1               |
| Fuse rating in A  | 16              |
| Mains cable with plug                                   | •               |
| Length of supply lead in m                              | 2               |
| Accessories supplied                                    |                 |
| Universal tray with PerfectClean                        | 1               |
| Baking and roasting rack with PerfectClean              | 1               |
| FlexiClip runners with PerfectClean                     | 1               |
| No. of perforated stainless-steel cooking container     | 2               |
| No. of solid stainless-steel cooking containers         | 1               |
| HydroClean cleaning agent                               | 1               |
| Descaling tablets                                       | 2               |



## DGC 7860 HC Pro OBSW Installation diagrams


### Installation in a tall unit

The furniture housing unit must not have a back panel fitted behind the building-in niche.



### Installation in a base unit

When building the combi steam oven into a base unit underneath a cooktop, please also observe the installation instructions for the cooktop as well as the building-in height required for the cooktop



### Side view

