

## G 7130 SCi CLST AutoDos

Integrated dishwasher

with automatic dispensing thanks to AutoDos with integrated PowerDisk.



- Innovative design and maximum convenience – 3D MultiFlex Tray
- Communication with the machine could not be easier – Miele@home
- Everything completely dry – AutoOpen drying
- Fresh water dishwashers
- Very easy door opening and closing – ComfortClose

EAN: 4002516785132 / Material number: 12531640

<b>Model</b>	
Integrated dishwasher	•
60 cm dishwasher	•
<b>Design</b>	
Control panel colour	Stainless steel/CleanSteel
Control panel version	Straight fascia
Control type	Programme selector button
Display	1-line text display
Display colour	White
MultiLingua	•
<b>Convenience</b>	
Networking with Miele@home	•
Automatic dispensing with PowerDisk	•
Door closing aid	ComfortClose
Operating noise dB(A) re 1 pW	43
Time left display	•
Delay start up to 24 hours	•
In-operation indicator light	Display
Display language selection	•
<b>Efficiency and sustainability</b>	
EcoFeedback	•
EcoPower Technology	•
Proven hygiene	•
Hot water connection	•
Reduced load	•
<b>Quality of results</b>	
Fresh water dishwasher	•
AutoOpen drying	•
SensorDry	•
Recirculation Turbothermic drying	•
BrilliantGlassCare	•
<b>Wash programmes</b>	
ECO	•
Automatic	•
ComfortWash 45 °C	•
Intensive 75 °C	•
PowerWash	•
Gentle	•
ComfortWash+ 55°C	•
ExtraQuiet 40 dB(A)	•
Appliance care	•
<b>Dishwashing options</b>	
AutoDos	•
IntenseZone	•
Quick	•
Extra Clean/ Extra dry	• / •
BottleClean	•
<b>Basket design</b>	
Cutlery loading	3D MultiFlex tray
FlexCare glass&bottle holder	•

## G 7130 SCi CLST AutoDos

Integrated dishwasher

with automatic dispensing thanks to AutoDos with integrated PowerDisk.




EAN: 4002516785132 / Material number: 12531640 / Old Material Number: 21713057AUS

FlexCare cup rack	1
Basket design	ExtraComfort
MultiClip / XL Assist	• / •
<b>Safety</b>	
Waterproof system Filter indicator light	•
Safety lock	•
<b>Technical data</b>	
Niche width minimal in mm	600
Niche width max in mm	600
Niche height minimal in mm	805
Niche height maximal in mm	870
Niche depth in mm	570
Appliance width in mm	598
Appliance height in mm	805
Appliance depth in mm	570
Depth with door open in cm	116.5
Net weight in kg	48.2
Total rated load in kW	2.00
Voltage in V	230
Fuse rating in A	10
Number of phases	1
Electrical frequency standard	50
Energy stars	4.5
Water stars	6.0
Length of water inlet hose in cm	1.50
Length of water drain hose in cm	1.50
Length of supply lead in m	1.90
Min. front panel weight in kg	3.0
Max. front panel weight in kg	11.0
[can be retrofitted by Service to min.]	8.0
[can be retrofitted by Service to max.]	17.0
<b>Available display languages</b>	
Available display languages via MultiLingua	deutsch, english (AU), english (GB), ,
<b>Accessories supplied</b>	
1 x PowerDisk	•
Voucher for 6 x PowerDisks	•

## G 7130 SCi CLST AutoDos

Integrated dishwasher

with automatic dispensing thanks to AutoDos with integrated PowerDisk.



G7000, integrated dishwasher, 60cm (installation drawing)

- 1) Plinth height 35-155 mm, 2) Plinth height 100-220 mm,
- 3) Appliance height max. 930 mm with plinth height conversion kit (Mat.-Nr. 6.394.761)