

G 7604 SCU CLST AutoDos

Built-under dishwashers

with automatic dispensing thanks to AutoDos with integrated PowerDisk.



- Innovative design and maximum convenience – 3D MultiFlex Tray
- Communication with the machine could not be easier – Miele@home
- Perfect results in less than one hour – QuickPowerWash
- Fresh water dishwashers
- Versatile and secure – ExtraComfort basket design

EAN: 4002516785163 / Material number: 12531670

Model	
Built-under dishwasher	•
60 cm dishwasher	•
Design	
Control panel colour	Stainless steel/CleanSteel
Control panel version	Straight fascia
Control type	Programme selector button
Display	1-line text display
Display colour	White
MultiLingua	•
Convenience	
Networking with Miele@home	•
Automatic dispensing with PowerDisk	•
Door closing aid	ComfortClose
Operating noise dB(A) re 1 pW	42
Time left display	•
Delay start up to 24 hours	•
In-operation indicator light	acoustic
Display language selection	•
Efficiency and sustainability	
EcoFeedback	•
EcoPower Technology	•
Proven hygiene	•
Hot water connection	•
Reduced load	•
Quality of results	
Fresh water dishwasher	•
AutoOpen drying	•
SensorDry	•
Recirculation Turbothermic drying	•
BrilliantGlassCare	•
Wash programmes	
ECO	•
Automatic	•
ComfortWash 45 °C	•
Intensive 75 °C	•
PowerWash	•
Gentle	•
ComfortWash+ 55 °C	•
Hygiene	•
SolarSave	•
ExtraQuiet 37 dB(A)	•
Appliance care	•
Dishwashing options	
AutoDos	•
IntenseZone	•
Quick	•
Extra Clean / Extra dry	• / •
BottleClean	•

G 7604 SCU CLST AutoDos

Built-under dishwashers

with automatic dispensing thanks to AutoDos with integrated PowerDisk.




EAN: 4002516785163 / Material number: 12531670

Basket design	
Cutlery loading	3D MultiFlex tray
FlexCare glass&bottle holder	•
FlexCare cup rack	1
Basket design	ExtraComfort
MultiClip / XL Assist	• / •
Safety	
Waterproof system Filter	•
indicator light	•
Safety lock	•
Technical data	
Niche width minimal in mm	600
Niche width max in mm	600
Niche height minimal in mm	805
Niche height maximal in mm	870
Niche depth in mm	570
Appliance width in mm	598
Appliance height in mm	805
Appliance depth in mm	570
Depth with door open in cm	116.5
Net weight in kg	49.5
Total rated load in kW	2.00
Voltage in V	230
Fuse rating in A	10
Number of phases	1
Electrical frequency standard	50
Energy stars	4.5
Water stars	6.0
Length of water inlet hose in cm	1.50
Length of water drain hose in cm	1.50
Length of supply lead in m	1.90
Available display languages	
Available display languages via MultiLingua	deutsch, english (AU), english (GB), ,
Accessories supplied	
1 x PowerDisk	•
Voucher for 6 x PowerDisks	•

G 7604 SCU CLST AutoDos

Built-under dishwashers

with automatic dispensing thanks to AutoDos with integrated PowerDisk.



G7000, built under, dishwasher, 60cm (installation drawing)

1) Appliance height max. 930 mm with plinth height conversion kit (Mat.-No. 6.394.761)