

TWC340WP 8kg T1 heat-pump dryer



- Heat pump technology – low consumption, gentle drying
- FragranceDos ensures your laundry smells wonderfully fresh after drying**
- Complete App control of your tumble dryer with Miele@home***
- EcoDry for efficient performance over the entire tumble dryer service life****

** Patent EP 2 431 516

*** Miele@home is a separate digital offer from Miele & Cie. KG. All smart applications are made possible with the Miele@home system. The range of functions can vary depending on the model and the country.

**** Patent EP 2 455 537

EAN: 4002516856245 / Material number: 12704890

Construction type	
Appliance colour	Lotus white
Suitable for stacking	•
Door hinging	Left, Reversible
Built-in	•
Can be built-under	–
Design	
Door design	Obsidian Black with white ring
Control panel version	5° inclined
Display	DirectSensor white, 7 segment
Drying results	
PerfectDry precision drying	•
HygieneDry	–
Convenience features	
Networking with Miele@home	•
Wash2Dry	•
Delay start up to 24 hours	•
Time of day display	–
Drum lighting	LED
Integrated condensed water drainage	•
AddLoad	•
Efficiency and sustainability	
Energy rating	9 Stars
Energy rating registration	ACD0832
Annual energy consumption in kWh	112
EcoFeedback	–
Maintenance-free heat exchanger	•
ProfiEco motor	•
Drying programmes	
Shirts	•
Silks handcare	–
Woollens handcare	•
Express	•
Outerwear	–
Proofing	•
Sportswear	–
Cottons hygiene	–
Pre-Ironing	–
Bed linen	•
Drying extras	
Anti-crease	•
Buzzer	•
Quick	–
DryCare 40	–
DryFresh	–
PowerFresh	–

TWC340WP 8kg
T1 heat-pump dryer



EAN: 4002516856245 / Material number: 12704890

Technical data	
Dimensions (H x W x D) in mm	850 x 596 x 643
Appliance depth in mm with opened door	1077
Type of coolant	R290
Refrigerant quantity in kg	0.11
Accessories supplied	
Fragrance flacon	•
Coupon	•




1-8 kg

FragranceDos

EcoDry

TWC340WP
Installation diagrams



T1 drawing, fascia 5 degree, measures in mm