

## CPF120IGMPXA

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven Cleaning system main oven EAN code 120x60 cm 2 ELECTRICITY Mixed Thermoseal Thermoseal Pyrolitic 8017709289669




### Aesthetics

.

Portofino	Display	Touch
Stainless steel	No. of controls	11
Satin	Serigraphy colour	Black
Flush fit	Handle	Smeg Portofino
With frame	Handle Colour	Brushed stainless steel
Yes	Glass type	Black
Cast Iron	Plinth	Black
Stainless steel	Storage compartment	Drawer
Finger friendly stainless	Sliding compartment	Yes
steel	Logo	Assembled st/steel
Smeg Portofino	Logo position	Facia below the oven
Stainless steel		
	Stainless steel Satin Flush fit With frame Yes Cast Iron Stainless steel Finger friendly stainless steel Smeg Portofino	Stainless steelNo. of controlsSatinSerigraphy colourFlush fitHandleWith frameHandle ColourYesGlass typeCast IronPlinthStainless steelStorage compartmentFinger friendly stainlessSliding compartmentsteelLogoSmeg PortofinoLogo position

### **Programs / Functions**






#### **Cleaning functions**



Pyrolytic

### Programs / Functions Auxiliary Oven




### Hob technical features



Total no. of cook zones	6			
Centrale sinistra - Gas - 2UR (dual) - 4.20 kW				
Front centre - Gas - Semi R	Front centre - Gas - Semi Rapid - 1.80 kW			
Rear centre - Gas - Rapid -	- 3.00 kW			
Front right - Induction - mu	ltizone - 2.10 kW - Booster 2.	30 kW - 21.1x19.1 cm		
Rear right - Induction - mul	tizone - 1.60 kW - Booster 1.8	85 kW - 21.0x19.0 cm		
Central - Teppanyaki - 1.4	0 kW			
Type of gas burners	Standard	Automatic pan	Yes	
Automatic electronic	Yes	detection		
ignition		Minimum pan diameter	Yes	
Burner caps	Matt black enamelled	indication		
Automatic switch off	Yes	Selected zone indicator	Yes	
when overheat		Residual heat indicator	Yes	

### Main Oven Technical Features



Total no. of door glasses 4



Gross volume, 1st cavity Cavity material	Ever Clean enamel	No.of thermo-reflective door glasses	3
No. of shelves Type of shelves Light type Light Power Cooking time setting Light when oven door is open Door opening	5 Metal racks Halogen 40 W Start and Stop Yes Flap down	Safety Thermostat Heating suspended when door is opened Cooling system Door Lock During Pyrolisis Usable cavity space dimensions (HxWxD)	Yes Yes Tangential Yes 360X460X425mm
Removable door Full glass inner door Removable inner door	Yes Yes Yes	Temperature control Lower heating element power Upper heating element - Power Grill elememt Large grill - Power Circular heating element - Power Grill type	1700 W 2700 W
		Soft Close system	Yes

### **Options Main Oven**

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic	Yes	Maximum temperature	280 °C
alarm			

### Second Oven Technical Features

💷 🗵 <u>.5</u> 🔊 💭			
Net volume of the second cavity	63 I	No. thermo-reflective door glasses	2
Gross volume, 2nd	791	Safety Thermostat	Yes
cavity		Heating suspended	Yes
Cavity material	Ever Clean enamel	when door is opened	
No. of shelves	5	Cooling system	Tangential
Type of shelves	Metal racks	Usable cavity space	360X460X425 mm
No. of lights	2	dimensions (HxWxD)	
Light type	Halogen	Temperature control	Electro-mechanical
Light Power	40 W	Lower heating element -	1200 W
Cooking time setting	Start and Stop	power	
Light when oven door is	Yes	Upper heating element -	1000 W
open		Power	
Door opening	Flap down	Grill alamant nowar	1700 W
Removable door	Yes	Grill element - power	
Full glass inner door	Yes	Large grill - Power	2700 W
Removable inner door	Yes	Circular heating element - Power	2000 W
No. total door glasses	3		<b>F</b> 1 ( )
ite. total abor glasses	5	Grill type	Electric
		Tilting grill	Yes



Soft Close system

Yes

### **Options Auxiliary Oven**

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic	Yes	Maximum temperature	260 °C
alarm			

### Accessories included for Main Oven & Hob

Rack with back and side	. 1	Grill mesh	1
stop		Telescopic Guide rails,	1
20mm deep tray	1	total Extraction	
40mm deep tray	1	Meat Probe	1


### Accessories included for Secondary Oven

Rack with back and side	1	Grill mesh	1
stop		Telescopic Guide rails,	1
20mm deep tray	1	total Extraction	
40mm deep tray	1		

### **Electrical Connection**

Electrical connection rating	10900 W	Cable testing Type of electric cable	Yes Yes, Double and Three
Current	48 A		Phase
Voltage	220-240 V	Frequency	50/60 Hz
Voltage 2 (V)	380-415 V	Terminal block	5 poles
Type of electric cable installed	Yes, Single phase		








### Not included accessories

#### AIRFRY



#### GTP

\*\*Partially extractable telescopic guides (1 level)\*\* Extraction: 300 mm Material: Stainless steel AISI 430 polished



#### BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid

#### GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



BN620-1

Enamelled tray, 20mm deep



SCRP Induction and ceramic hobs and teppanyaki scraper



SFLK1

Child lock



#### PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

#### KITP65CPF120

Depth extension kit (650 mm), suitable for TR4110 cookers



WOKGHU

Cast-Iron WOK Support

#### KIT1CPF120X

Splashback 120x60 cm, stainless steel, suitable for Portofino cookers

### **BGTR4110**

BBQ

Cast iron grill plate suitable for Victoria Cookers TR4110

#### KITH95CPF120

Height extension kit (950 mm), suitable for TR4110 cookers





**TPKPLATE** 

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



#### seafood and vegetables. PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes

in the oven with the typical taste of

grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish,



#### GTT

\*\*Totally extractable telescopic guides (1 level)\*\* Extraction: 433 mm Material: Stainless steel AISI 430 polished



#### BN640

Enamelled tray, 40mm deep



#### SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



### Symbols glossary (TT)

	m		
	H	H	
l	Ē	Ē	

Heavy duty cast iron pan stands: for maximum stability and strength.

A DIRECT STEAM oven has 1 steam cooking function to which the user can MANUALLY add steam. The function is activated when the user turns the function knob to the STEAM ON position, and deactivated when the user turns the steam knob to the STEAM OFF position. The user decides at the start of the cooking process how much water to load, up to 250ml. The water in the cavity then becomes steam during the cooking process.



3

ECO

Quadruple glazed: Number of glazed doors.

Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.

Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.

Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.

ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.

Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Air cooling system: to ensure a safe surface temperatures.



Triple glazed doors: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



(??)

2

Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.

Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.
methous.

- Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
- Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.
- Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.

# •se•smeg

	Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.	S.	Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.
STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.	旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
H	The inner door glass: can be removed with a few quick movements for cleaning.	Ő.	Side lights: Two opposing side lights increase visibility inside the oven.
<b>P</b> ,	Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.	Н	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
.5	The oven cavity has 5 different cooking levels.	D	Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.
	Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.	<u>در</u>	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.
ø	Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.	UR	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.
V	Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.	63 It	The capacity indicates the amount of usable space in the oven cavity in litres.
70 it	The capacity indicates the amount of usable space in the oven cavity in litres.		

space in the oven cavity in litres.