

CPV615NR

Product Family Commercial height Type Vitality system

Drawer 15 cm Sous-vide Yes



Aesthetics

Aesthetic Colour Finishing **Component finishing** Material

Dolce Stil Novo Black **Glossy black** Copper Glass

Glass type Front panel Logo Logo position

Eclipse With horizonal strip Silk screen Inside

Controls

Type of control setting Touch control

Programs / Functions

Preservation cycle

Vacuum in container cycle

Chef function

Welding

·	
÷	
Q	

Technical Features



Push-pull Stainless steel 304 Tempered glass with frame

24

Safety solenoid valve anti oil reflux

Yes

Base material

Lid material



Lid opening	65° +/- 3°	Dehumidification pump	Yes, automatic
Drawer stabilisation device	Yes	cycle	
Drawer maximum	453 +/- 2 mm	Enabling vacuum bar lenght	260 mm
protrusion Max weight allowance	15 kg	Removable enabling	Yes
Maximum drawer		vacuum bar Welding type	Double-phase
loading weight	•	Preservation cycle	1' - 1'20''
Capacity	6,5 I	duration	
Pump flow	4 m³/h	Reachable vacuum	2-10 millibar (99,9%)
		Vacuum sensor	Yes, accuracy 10 mbar
		Accessories included	Bags for food conservation, Bags for sous-vide cooking

Electrical Connection

Plug	(F;E) Schuko	Voltage (V)	220-240 V
Nominal power	240 W	Frequency (Hz)	50-60 Hz
Current	1 A		

Logistic Information

Width (mm) Depth (mm)	597 mm 570 mm	Product Height (mm)	135 mm
	× 560.568		
127.5			
	<u>4</u>		



Not included accessories



VBAG1

Bags for sous-vide cooking and preservation, 20x30, 50 pieces



VBAG2

Bags for sous-vide cooking and preservation, 25x35, 50 pieces



LIFEBOX

Set of 3 containers for vacuum drawer

-ss-smeg

Symbols glossary (TT)

cycle.

\bigcirc	The Chef function alternates compression and decompression cycles and speeds up some operations, such as marinade or infusion, that otherwise would require a lot of time.	ſ	Preservation vacuum bags. These bags endure temperatures from -25°C to 70°C (for 2 hours) or 100°C (for 15 minutes). Suitable for pantry, refrigerator and freezer storage, they cannot be used for vacuum cooking.
-	The vacuum in bag function guarantees to create vacuum into bags choosing among three levels. It is also possible to set the 0 level to seal the bag without creating the vacuum.	₫	The stabilization device maintains the drawer open when used, avoiding closing it accidentally.
	Sous-vide cooking bags. These bags endure a maximum temperature of 85°C (for 75 hours), 100°C (for 4 hours) or 121°C (for 30 minutes). Suitable for pantry and refrigerator storage, they cannot be storage in the freezer.	ċ	The vacuum in container function guarantees to create vacuum into glass or plastic containers choosing among three different levels. Use only certificate containers suitable for vacuum and able to resist to a 99,9% vacuum.
99.9%	Setting the highest vacuum in bag/container level, it is reached a 99,9% vacuum.	b 11+	The vacuum sensor guarantees the achievement of the maximum vacuum connected to the level set. If the value is not reached, the bag is not sealed.
	The machine can be set at three different sealing levels. Setting the maximum level is possible to seal more bags at the same time with a unique	111 x2	The machine carries out a double phase welding which guarantees to seal dirty and oily bags as well.



Benefit (TT)

Push-pull door opening

With a simple push, the drawer opens and then closes again by pushing it back.

Vitality System

The combined use of the steam oven, blast chiller and vacuum drawer allows the preservation of product characteristics and maximum flavour enhancement

Preservation cycle

3 preservation cycles (delicate, preservation, sous vide)

Vacuum in container cycle

3 vacuum levels (delicate, medium, strong)

Chef function

Perfect marinades and infusions thanks to Chef mode