

N 30, Slideout rangehood, 60 cm, Silver metallic
D46BR22N1A



COOKING PASSION SINCE 1877



Slideout rangehood: Fans of streamlined kitchens love this rangehood because it's invisible inside the upper cabinet

- ✓ LED Lighting – a clear illumination whilst cooking thanks to the energy-saving LED lights
- ✓ Integrated Power Button – the rangehood automatically starts and stops when you slide it out and back in.

Features

Technical Data

Typology : Pull-out
Approval certificates : Australia Standards, VDE
Length electrical supply cord (cm) : 175
Required niche size for installation (HxWxD) : 162mm x 526.0mm x 290mm
Minimum distance above an electric hob : 430
Minimum distance above a gas hob : 650
Net weight (kg) : 9.011
Type of control : mechanical
Number of speed settings : 3
Maximum output air extraction (m³/h) : 388
Maximum output recirculating air (m³/h) : 196
Number of lights : 2
Noise level (dB) : 67
Diameter of air outlet (mm) : 120 / 150
Grease filter material : Washable aluminium
EAN code : 4242004253686
Connection Rating (W) : 108
Current (A) : 10
Voltage (V) : 220-240
Frequency (Hz) : 50
Plug type : AU plug
Installation typology : Built-in

Optional accessories

Z54TS01X0



4 242004 253686

N 30, Slideout rangehood, 60 cm, Silver metallic
D46BR22N1A

Features

- Appliance width: 598 mm
- Appliance colour: silver metallic
- For installation into a 60cm wide wall cupboard
- Suitable for ducted extraction and recirculation
- Accessories required for recirculated extraction: Recirculating kit

Design

Comfort

- Automatic On/Off operation when telescopic canopy is pulled out and pushed back
- rocker switch for power and light
- 3 power levels

Cleaning

- 2 x 1.5W LED
- Colour Temperature: 3500 K
- Cassette with alu frame
- Dishwasher safe metal grease filters

Performance

- Extraction rate exhaust air according to EN 61591: max. 389 m³/h
- Noise min./max. Normal Level: 59/67 dB
- 1 single inlet horizontal, Capacitor motor

Planning and installation information

- Appliance dimensions (HxWxD): 203 x 598 x 290 mm
- Built-in dimensions (HxWxD): 162 x 526 x 290 mm
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- Electrical cable length 1.75 m

Consumption Data




- Average Energy Consumption: 41.1 kWh/year
- Lighting Efficiency Class: A
- Power rating: 108 W

N 30, Slideout rangehood, 60 cm, Silver metallic
D46BR22N1A






COOKING PASSION SINCE 1877

Dimensioned drawings



Depth of the filter drawer can be adjusted by up to 29 mm



N 30, Slideout rangehood, 60 cm, Silver metallic
D46BR22N1A



COOKING PASSION SINCE 1877

Dimensioned drawings

