QUICK REFERENCE GUIDE > DW60U4I2

Integrated Dishwasher, Sanitise

Series 7 | Integrated

Panel Ready



Designed to integrate seamlessly into your cabinetry, this tall dishwasher delivers superior wash performance and advanced drying.

- Customise with your own front panel and handle to match your kitchen cabinetry
- Seven wash programs from Heavy to Light, including Auto and 60min
- Dry+, Sanitise, Half Load and Intensive modifiers provide extra wash options


 Wi-Fi enabled and works with the SmartHQ™ app for remote control and notifications

DIMENSIONS

 Height
 820 - 880mm

 Width
 598mm

 Depth
 554mm



FEATURES & BENEFITS

SEAMLESS INTEGRATION

Customise your dishwasher with a panel and handle matching your cabinetry, for a seamless finish in your kitchen.

ADVANCED DRYING

For beautifully dry dishes every time, this dishwasher features an advanced drying system that combines fan-assisted drying and

automatic door opening at the end of the cycle. By opening to release excess steam, Auto Door Open Dry helps to ensure your dishes come out dry and ready to use or store.

A RELIABLE CLEAN

This dishwasher offers seven wash programs including Auto, which automatically senses the optimal wash settings for your dishes. The three-stage filtration system delivers a superior clean, while the rinse aid indicator reminds you to top up for beautifully clean dishes.

CUSTOMISE YOUR WASH

The Half Load modifier is perfect for washing a partial load, for faster turnaround of dishes. Sanitise provides extra protection, killing 99.9% of bacteria* in the final rinse, while the Dry+ modifier is great for plastic dishes. *Certified to NSF/ANSI Standard 184

QUIET PERFORMER

Running at a very low decibel rating, this dishwasher does its job without making a fuss. The combination of clever technology and simple mechanics means greater reliability and superior wash performance, with minimal noise.

EFFICIENT PERFORMANCE

With a 4.5 star energy rating and 5.5 star water rating, this dishwasher delivers a powerful wash. Use the Eco wash program for optimal water and energy consumption, or choose when the cycle begins with Delay Start.

FLEXIBLE LOADING

Designed to fit 15 place settings with ease. Adjustable rack options provide flexibility for any load, with a full-width cutlery tray, height-adjustable middle rack, cup holders and wine glass supports.

SPECIFICATIONS

Accessories

Black stainless steel door panel

ADDW60PB

QUICK REFERENCE GUIDE > DW60U4I2

Contemporary round handle	AHS-OBDD-60S	Internal light	•		
Contemporary square black	AHD3-OBDD-60B	Internal wash selector	•	Warranty	
Contemporary square fine	AHD5-OBDD-60SB	Intuitive capacitive touch	•	Parts and labour	2 years
Contemporary square fine	AHD5-OBDD-60S	Rinse aid indicator light	•		
Contemporary square handle	AHD3-OBDD-60S	Wi-Fi connectivity	•	Wash Program Modifiers	
Cutlery basket	•			Dry +	•
Kickstrip	Custom	Features		Half-load	•
Stainless steel door panel	ADDW60PX	Air curtain for bench	•	Intensive	•
		Aquastop	•	Sanitise	•
Capacity and loading		Auto Door Open Dry	•	Wash modifiers	4
Accommodates round plates	320mm	Fan assisted drying	•		
Accommodates round plates	200mm (with cutlery tray),	Flood protection	•	Wash Programs	
Adjustable height, foldable	•	Fully independent spray arms	•	60 min	•
Easy lift adjustable upper	•	Internal tub material	Stainless Steel	Auto	•
Fold down tines	•	Motor type	BLDC	Eco	•
Fold down wine racks	•	Three-stage filtration system	•	Glassware	•
Full width cutlery/utensil tray	•	Variable wash pressure	•	Heavy	•
Large crockery insert in lower	•			Light	•
Place settings	15	Performance		Medium	•
Telescopic slides	•	Noise emissions	42dBA	Rinse	•
Wine glass supports	•			Wash programs	8
		Power requirements			
Consumption		Amperage	10A	Water connection	
Energy rating	4.5 star	Supply frequency	50Hz	Water pressure	Min 150 kPa (22 psi) Max 827
Water rating	5.5 star (WELS)	Supply voltage	230V	Water supply	3/4 BSP Connector water inlet
Controls		Product dimensions			
Child lock	•	Depth	554mm	SKU	82436
Energy saving delay start	•	Height	820 - 880mm		
Floor light cycle feedback	•	Width	598mm		

QUICK REFERENCE GUIDE > DW60U4I2

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide



Installation Guide Built-Under Dishwasher



Door Template



Datasheet



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com