

Serie | 6, Freestanding induction cooker, Stainless steel **HLS79R351A**













Included accessories

- 1 x enamel baking tray 2 x grill trav
- 2 x grill tray 2 x grid 1 x universal pan

Optional accessories

HEZ327000: Pizza stone

HEZ625071: Grill tray, anthracite enamelled

The freestanding cooker with induction cooktop and AutoPilot: automatically prepares perfect dishes.

- Pyrolytic self-cleaning: Automatically cleans the oven, just wipe out the ash.
- Induction: fast, precise cooking, easy cleaning and low energy consumption.
- 1-level telescopic rail: for safe, easy insertion and removal of baking trays.
- CombiZone: More flexibility by combining two cooking zones, for roasters and the like.
- AutoPilot 30: every dish is a perfect success thanks to 30 preset automatic programmes.

Technical Data

Built-in / Free-standing : Freestanding

Dimensions (HxWxD): 850-900 x 600 x 600 mm

Length electrical supply cord: 150 cm

Net weight: 64.2 kg Gross weight: 68.0 kg EAN code: 4242005336357 Number of cavities (2010/30/EC): 1 Usable volume of cavity: 63 l Energy efficiency rating: A

Energy consumption per cycle conventional (2010/30/EC): 0.93

kWh/cycle

Energy consumption per cycle forced air convection (2010/30/

EC): 0.77 kWh/cycle

Energy efficiency index (2010/30/EC): 95.1 %

Connection Rating: 7850 W Fuse protection: 3*16 A Voltage: 220-240 V Frequency: 50; 60 Hz Plug type: no plug



Serie | 6, Freestanding induction cooker, Stainless steel HLS79R351A

The freestanding cooker with induction cooktop and AutoPilot: automatically prepares perfect dishes.

Cooktop:

- COOKTOP
- 4 induction zones
- Front left: Cooking zone front left: Standard cooking zone 180 mm 1.8 KW
- Rear left: Cooking zone rear left: Standard cooking zone 180 mm - 1.8 kW
- Rear right: Cooking zone rear right: Standard cooking zone 145 mm 1.4 KW
- Front right: Standard zone 210 mm 2.2 kW
- Bridgeable CombiZones
- 30 automatic programs
- Electronic TouchSelect +/- controls
- Supplied Accessories: enamel baking tray, grid, grill tray, universal pan
- QuickStart Quick and automatic first pot detection
- ReStart Quickly reinstates previous settings
- PowerBoost function reduce the time to heat up large quantities of water

Heating Functions

- Induction free-standing cooker with 8heating methods:
 Hotair gentle
 3D Hotair Top/bottom heating Pizza setting Slow cooking
 Bottom heating Hot air grilling Grill large area
- Oven door with SoftClose, Drop down door
- Temperature range 30 °C 300 °C
- Cavity volume: 63 I

Cleaning

- Pyrolytic self-cleaning function
- Cleaning Assistance cleaning option for light soiling

Convenience

- Electronic thermostat
- LCD-display control (white)
- Electronic clock/timer with LED display
- AutoPilot, 30 automatic programs
- Rapid heating-up: automatic
- Oven door with SoftClose, Drop down door
- Standard drawer for kitchen utensils

Accessories

Safety and Environment

- Childproof lock
- Electronic door lock
 Automatic door lock during pyrolysis Child lock function
 Automatic safety switch off function
- Maximum door temperature 30° C

Technical Info

- Length of mains cable: 150 cm
- Nominal voltage: 220 240 V
- Total connected load electric: 7.85 KW

Dimensions

- Appliance dimensions (HxWxD): 850 mm x 600 mm x 600 mm
- Height adjustable by 15 mm



Serie | 6, Freestanding induction cooker, **Stainless steel HLS79R351A**

measurements in mm





