


N 50, BUILT-IN OVEN, 90 X 60 CM,  
GRAPHITE-GREY  
L2ACH7MGO



90 cm, 112 litre oven - ideal for entertaining and preparing large and delicious meals

- ✓ Hotair - even heat distribution for a good, even bake and yummy dishes
- ✓ Pyrolytic Self-Cleaning with Easy Clean - the duo for optimal cleaning: pyrolytic after heavy use and Easy Clean for in between
- ✓ LCD-Display - simple, straightforward with large characters for clear reading
- ✓ Control Knobs & 1-Touch Buttons - select the right programme using your intuition
- ✓ Cliprails - Place dishes exactly where you want them in your oven.

Color / Material Front: ..... Graphite-Grey  
 Built-in / Free-standing: ..... Built-in  
 Door opening: ..... Drop down  
 Cleaning : ..... Pyrolytic+Hydrolytic  
 Control Panel Material: ..... Glass  
 Door Material: ..... Glass  
 Dimensions (HxWxD): ..... 594 x 896 x 570 mm  
 Dimensions of the packed product (HxWxD): . 693 x 680 x 968 mm  
 Min. required niche size for installation (HxWxD): ..... 600-604 x 860-864 x 560 mm  
 Cavity dimensions: ..... 371 x 724 x 417 mm  
 Usable volume of cavity: ..... 112 l  
 Number of interior lights: ..... 2  
 Net weight: ..... 65.7 kg  
 Gross weight: ..... 72.9 kg  
 EAN code: ..... 4242004275312  
 Connection Rating: ..... 4200 W  
 Fuse protection: ..... 12 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50-60 Hz  
 Length electrical supply cord: ..... 115.0 cm



*N 50, BUILT-IN OVEN, 90 X 60 CM,  
GRAPHITE-GREY  
L2ACH7MGO*

- 90 cm built-in oven with 10 heating methods:
- Hot Air Standard
- Top/bottom heating Circulating Air Circo-roasting Full surface grill  
Centre area grill CircoTherm® Intensive Bottom heating Defrost  
Conventional heat gentle
- Temperature range 50 °C - 280 °C

#### Design

- Retractable control knobs, ShiftControl
- Enamelled cavity (grey) with 5 shelf positions
- Cavity volume: 112 l

#### Hook-in racks / rails

- 1 set of level independent telescopic rails (Clip-on rail)

#### Cleaning

- Pyrolytic self cleaning
- EasyClean® Cleaning aid program
- Full glass inner door - safer touch door

#### Convenience

- White LCD display, Electronic Control
- Electronic clock with start / stop function
- Drop down door
- Fast pre-heating function
- Halogen lamps
- Cooling fan
- Bar handle

#### Accessories

- 1 x enamel baking tray, 2 x combination grid, 1 x universal pan, 1 x rotary spit, 1 x insert grid
- Automatic door lock during pyrolysis, Individual adjustable child lock, Safety switch off, Residual heat indicator, Door contact switch
- Length of mains cable: 115 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 4.2 KW

#### Dimensions

- Appliance dimensions (HxWxD): 594 mm x 896 mm x 570 mm
- Installation dimensions (HxWxD): 600 mm - 604 mm x 860 mm - 864 mm x 560 mm
- Please reference the built-in dimensions provided in the installation drawing

N 50, BUILT-IN OVEN, 90 X 60 CM,  
 GRAPHITE-GREY  
 L2ACH7MGO

