


Serie | 6 Double Oven

MBG5787S0A Double Oven



A

The built-in double oven with 3D hot air: achieve perfect baking and roasting results on multiple levels simultaneously.

- **Meat probe:** measures the optimal core temperature of your roast.
- **3D Hotair:** perfect results thanks to optimal distribution of heat on up to 3 levels simultaneously.
- **AutoPilot 30:** every dish is a perfect success thanks to 30 pre-set automatic programmes.
- **Pop-out controls:** for an easy to clean front.
- **Pyrolytic self-cleaning:** no cleaning effort thanks to automatic self-cleaning.
- Easy to clean grey enamel interior
- Drop down door with SoftClose mechanism
- **1-stage telescopic rail and 1-stage telescopic rail, level independent:** for safe, easy insertion and removal of baking trays.
- **Level independent telescopic rail (clip-on rail):** can be placed in any cooking level.

Technical Data

Color / Material Front :	Stainless steel
Built-in / Free-standing :	Built-in
Integrated Cleaning system :	Pyrolytic
Dimensions of the product (mm) :	888 x 594 x 550
Dimensions of the packed product (HxWxD) (mm) :	675 x 660 x 690
Control Panel Material :	Stainless steel
Door Material :	Glass
Net weight (kg) :	42.0
Usable volume of cavity (l) :	71
Temperature control :	No control of the temperature
Number of interior lights :	1
Approval certificates :	CE, VDE
Cooking method second cavity :	Bottom heating, Large-area grill, Small area grill, Top/bottom heating
Timer :	Yes
Included accessories cavity 1 :	1 x enamel baking tray, 2 x combination grid, 1 x universal pan
Broil Element Wattages cavity 1 (W) :	2800
Convection Element Wattages cavity 1 (W) :	2200
Electrical connection rating (W) :	6300
Current (A) :	32
Voltage (V) :	220-240
Frequency (Hz) :	50
Color / Material Front :	Stainless steel
Energy input :	Electric
Approval certificates :	CE, VDE
Required cutout/niche size for installation (in) :	x x
Appliance Dimensions (h x w x d) (in) :	x x
Dimensions of the packed product (in) :	26.57 x 25.98 x 27.16
Net weight (lbs) :	92
Gross weight (lbs) :	97
Appliance Dimensions (h x w x d) (cm) :	88.8 x 59.4 x 55.0
Dimensions of the product (mm) :	888 x 594 x 550
Dimensions of the packed product (HxWxD) (mm) :	675 x 660 x 690
Net weight (kg) :	42.0
Gross weight (kg) :	44.0

Included accessories

- 1 x enamel baking tray
- 2 x combination grid
- 1 x universal pan



Serie | 6 Double Oven

MBG5787S0A

Double Oven

The built-in double oven with 3D hot air: achieve perfect baking and roasting results on multiple levels simultaneously.

Heating Functions

Top Oven

- Oven with 4 heating methods: Top/bottom heating, Full width grill, Small area grill, Bottom heating
- Temperature range 30 °C - 275 °C
- Cavity volume: 34 l

Main Oven

- Oven with 10 heating methods: 3D Hotair, Top/bottom heating, Hot air grilling, Full width grill, Pizza setting, Bottom heating, Slow cooking, Defrost, Keep warm, Hotair gentle
- Temperature range 30 °C - 275 °C
- Rapid heating-up
- Cavity volume: 71 net usable litres

Hook-in racks / rails

Main Oven

- telescopic pull-out for 2 levels, including one 1 set of level independent telescopic rails (Clip-on rail)
- 1 level telescopic rail, 1 set of level independent telescopic rails (Clip-on rail)

Design

Top Oven

- Retractable control knobs
- Number of shelf levels: 3 PC
- Cavity (inner surface) top: Enamel grey

Main Oven

- Enamel grey with 5 shelf positions
- Extra large capacity oven with grey enamel

Cleaning

Top Oven

- Full glass inner door

Main Oven

- 3 Stage pyrolytic cleaning
- Full glass inner door

Convenience

- LCD-display control (white)
- Automatic temperature proposal
Actual temperature display
Sabbath mode
- AutoPilot30
- Drop down door, Oven door with SoftClose
- Single-point meat probe
- Halogen lighting
- Cooling fan
- Bar handle

Accessories

- 1 x enamel baking tray, 2 x combination grid, 1 x universal pan

Safety and Environment

Top Oven

- Maximum door temperature 30 °C

Main Oven

- Maximum door temperature 30° C
- Electronic door lock
Child lock function
Automatic safety switch off function
Residual heat indicator
- 2 year warranty

Technical Info

- Nominal voltage: 220 - 240 V
- Total connected load electric: 6.3 KW
- Number of cavities: 2
Heat source: electrical
Top Cavity Volume: 34 l
Main Cavity volume: 71 net usable litres

Dimensions

- Appliance dimensions (HxWxD): 888 mm x 594 mm x 550 mm
- Installation dimensions (HxWxD): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

Serie | 6 Double Oven**MBG5787S0A****Double Oven**