

N 70, BUILT-IN WARMING DRAWER, 60 X 14 CM,  
FLEX DESIGN  
N29HA11Y1A



Preheat plates and cups, so that dishes stay hot longer. Keep warm, for keeping cooked dishes warm.

- ✓ Slow Cook Programme - For tender meats, poultry, and vegetables packed with flavour and vitamins.
- ✓ Warming Drawer - Keep food at the right temperature until you're ready to serve.
- ✓ Warming Drawer - Keep food warm until you're ready to serve, controlling the drawer from anywhere!
- ✓ Plate Warmer - Keep your food at the right temperature from kitchen to table.
- ✓ Cup Warmer - Prepare your cups for coffee and tea, whenever and wherever!

Z9014AY0 Flex Design AG 14 AD/WD/VD 14, Z9014BY0 FlexDesign BB 14 WD/VD 14, Z9014DY0 FlexDesign DB 14 WD/VD 14, Z9014MY0 FlexDesign MS 14 WD/VD 14, Z9060AY0 (SC)FlexDesign AG 60 Oven 60, Z9060BY0 (SC)FlexDesign BB 60 Oven 60, Z9060DY0 (SC)FlexDesign DB 60 Oven 60, Z9060MY0 (SC)FlexDesign MS 60 Oven 60, Z9075AY0 SC FlexDesign AG 75 WD 14 + 60, Z9105AY0 SC FlexDesign AG 105 60 + 45, Z9105BY0 SC FlexDesign BB 105 60 + 45, Z9105DY0 SC FlexDesign DB 105 60 + 45, Z9105MY0 SC FlexDesign MS 105 60 + 45, Z912AAY0 SC FlexDesign AG 120 WD14 + 60 + 45, Z912ABY0 SC FlexDesign BB 120 WD14 + 60 + 45, Z912ADY0 SC FlexDesign DB 120 WD14 + 60 + 45, Z912AMY0 SC FlexDesign MS 120 WD14 + 60 + 45, Z9075BY0 SC FlexDesign BB 75 WD 14 + 60, Z9075DY0 SC FlexDesign DB 75 WD 14 + 60, Z9075MY0 SC FlexDesign MS 75 WD 14 + 60, Z9098AY0 SC FlexDesign AG 98 60 + MW 38, Z9098BY0 SC FlexDesign BB 98 60 + MW 38, Z9098DY0 SC FlexDesign DB 98 60 + MW 38, Z9098MY0 SC FlexDesign MS 98 60 + MW 38, Z912BAY0 SC FlexDesign AG 120 60+60, Z912BBY0 SC FlexDesign BB 120 60+60, Z912BDY0 SC FlexDesign DB 120 60+60, Z912BMY0 SC FlexDesign MS 120 60+60, Z990AAY0 SC FlexDesign AG 90 WD 29 + 60, Z990ABY0 SC FlexDesign BB 90 WD 29 + 60, Z990ADY0 SC FlexDesign DB 90 WD 29 + 60, Z990AMY0 SC FlexDesign MS 90 WD 29 + 60

Z9014AY0 Flex Design AG 14 AD/WD/VD 14, Z9014BY0 FlexDesign BB 14 WD/VD 14, Z9014DY0 FlexDesign DB 14 WD/VD 14, Z9014MY0 FlexDesign MS 14 WD/VD 14, Z9075AY0 SC FlexDesign AG 75 WD 14 + 60, Z9075BY0 SC FlexDesign BB 75 WD 14 + 60, Z9075DY0 SC FlexDesign DB 75 WD 14 + 60, Z9075MY0 SC FlexDesign MS 75 WD 14 + 60, Z912AAY0 SC FlexDesign AG 120 WD14 + 60 + 45, Z912ABY0 SC FlexDesign BB 120 WD14 + 60 + 45, Z912ADY0 SC FlexDesign DB 120 WD14 + 60 + 45, Z912AMY0 SC FlexDesign MS 120 WD14 + 60 + 45, ZC060AY0 SC FlexDesign AG 60 WD14 + Coffee, ZC060BY0 SC FlexDesign BB 60 WD14 + Coffee, ZC060DY0 SC FlexDesign DB 60 WD14 + Coffee, ZC060MY0 SC FlexDesign MS 60 WD14 + Coffee

Built-in / Free-standing: ..... Built-in  
 Dimensions (HxWxD): ..... 140 x 594 x 518 mm  
 Dimensions of the packed product (HxWxD): . 250 x 660 x 700 mm  
 Min. required niche size for installation (HxWxD): . 140 x 560 x 550 mm  
 Maximum number of plates: ..... 12  
 Maximum number of espresso cups: ..... 64  
 Net weight: ..... 18.9 kg  
 Gross weight: ..... 20.9 kg  
 EAN code: ..... 4242004266969  
 Fuse protection: ..... 10 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50; 60 Hz



*N 70, BUILT-IN WARMING DRAWER, 60 X 14 CM,  
FLEX DESIGN  
N29HA11Y1A*

- Multifunctional warming drawer with the heating functions: Low temperature cooking, Keep warm, plate warming, cup warming

#### Design

- Flex Design (available in four colours)
- Touch Control illuminated
- Touch key operation
- Heating plate made of toughened glass

#### Convenience

- User-friendly electronics: extremely easy and comfortable operation
- Cavity volume: 20 l usable litres
- Max weight up to 25 kg
- Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC
- Temperature control with 4 levels: 30 °C - 80 °C (glass surface temperature)
- Push&Pull opening mechanism
- Favourites button - manage via Home Connect app
- HomeConnect

#### Technical Info


- Length of mains cable: 175 cm
- Total connected load electric: 0.82 KW
- Nominal voltage: 220 - 240 V

#### Dimensions

- Appliance dimensions (HxWxD): 140 mm x 594 mm x 518 mm
- Installation dimensions (HxWxD): 140 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing


N 70, BUILT-IN WARMING DRAWER, 60 X 14 CM,  
FLEX DESIGN  
N29HA11Y1A

Measurements in mm



**A:** 7.5 mm

Compact ovens with appliance height of 455 mm can be installed above the warming drawer without an intermediate floor



measurements in mm