


Serie | 6
**PCI6A5B90A
60 cm Gas Cooktop**

Included accessories

1 x cross support for espresso
1 x WOK attachment ring

The stainless-steel gas cooktop with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

- **FlameSelect:** for a precise adjustment of the flame in nine defined levels.
- **Wok burner:** powerful cooking at up to 15 MJ/h.
- **Continuous cast-iron pan support:** for high firmness and stability of cookware.
- **Sword knobs:** for an ergonomic control.
- **Surface colour:** Stainless steel

Technical Data

Product name/family :	gas hob w integrated controls
Construction type :	Built-in
Energy input :	Gas
Total number of positions that can be used at the same time :	4
Required niche size for installation (HxWxD) :	45 x 560-562 x 480-492
Width of the product (mm) :	582
Dimensions of the product (mm) :	45 x 582 x 520
Dimensions of the packed product (HxWxD) (mm) :	141 x 651 x 578
Net weight (kg) :	18.0
Gross weight (kg) :	19.0
Residual heat indicator :	without
Location of control panel :	Hob front
Basic surface material :	Stainless steel
Color of surface :	Stainless steel
Color of frame :	Stainless steel
Approval certificates :	Australia Standards, Australia Standards
Length electrical supply cord (cm) :	100
EAN code :	4242002914220
Electrical connection rating (W) :	1
Gas connection rating (W) :	9750
Current (A) :	3
Voltage (V) :	240
Frequency (Hz) :	50



Serie | 6 Cooktops

PCI6A5B90A

60 cm Gas Cooktop

The stainless-steel gas cooktop with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

Design

- Stainless steel
- Enamelled cast-iron trivets with rubber feet

Comfort & Convenience

- FlameSelect (9 steps)
- sword knobs
- One-hand electronic ignition via controls

Size & Power

- 4 Gas burners
- Wok burner
- 1 High-speed, 1 Standard, 1 Economy, 1 Wok burner
- Left: Wok burner up to 15 Mj/h (depending on gas type)
- Center rear: Standard burner up to 6.85 Mj/h (depending on gas type)
- Center front: Economy burner up to 4 Mj/h (depending on gas type)
- Right: Rapid burner up to 11 Mj/h (depending on gas type)

Safety and Environment

- Flame failure device fitted to each individual burner
- Preset to natural gas (10mbar)
- Suitable for natural gas (factory set-up) or LPG connection (via included conversion kit)

Dimensions (WxD)

- 60 cm width
- Installation measurements: 560 mm x 480 mm
- Power cord length 100 cm with plug

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included

Serie | 6 Cooktops

PCI6A5B90A

60 cm Gas Cooktop

