
# Integrated Column Freezer, 45.7cm, Ice


Series 11 | Integrated
Panel Ready | Left hinge

Install it separately or pair with another Column for true design freedom – this model is left hinge with stainless steel interior.

- ActiveSmart<sup>™</sup> technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

# DIMENSIONS





# **FEATURES & BENEFITS**

#### MIX & MATCH

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

#### PERFECT FIT

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase

## our stainless steel door panel.

#### **CLEVER ENERGY**

Our ActiveSmart<sup>™</sup> Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your fridge uses the energy it needs without compromising on food care.

#### APPEALING ILLUMINATION

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

#### DESIGN QUALITY

The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

#### EASY INSTALL

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

### SPECIFICATIONS

#### Accessories (sold separately)

| 1067mm Stainless steel toe      | AKRS10710 |
|---------------------------------|-----------|
| 1220mm Stainless steel toe      | AKRS12210 |
| 1676mm Stainless steel toe      | AKRS16810 |
| 1828mm Stainless steel toe kick | AKRS18310 |
| 457mm Stainless steel toe kick  | AKRS04610 |
| Contemporary round handle       | AHS-RD21  |
| Contemporary square handle      | AHD3-RD21 |
| Joiner kit                      | AJ-RS21LR |

#### QUICK REFERENCE GUIDE > RS4621FLJK1

| Professional round flush handle | AHP3RDSF    |
|---------------------------------|-------------|
| Replacement water filter        | FWC3        |
| Square fine aluminium handle    | AHD5RDSF    |
| Square fine black handle kit    | AHD5RDSFB   |
| Stainless steel door panel      | RD4621L10D  |
| Stainless steel door panel      | RD4621R10D  |
| Capacity                        |             |
| Volume                          | 220L        |
| Volume freezer                  | 220L        |
| Consumption                     |             |
| Energy rating                   | 2.5 star    |
| Energy usage                    | 373kWh/year |
| Features                        |             |
| Adjustable door shelves         | 4           |
| Adjustable glass cantilevered   | •           |
| Adjustable glass shelves        | 3           |
| SmartTouch interface at         | •           |
| Water Filter                    | 847200      |
| Wi-Fi connectivity              | •           |
| Freezer Features                |             |
| Automatic ice maker             | •           |
| Bottle chill                    | •           |
| Door alarm                      | •           |
| Fast freeze                     | •           |
| Freezer bins                    | 4           |
| Ice Boost                       | •           |
|                                 |             |

| LED bin lighting               | •                         |
|--------------------------------|---------------------------|
| LED ceiling lighting           | •                         |
| LED side lighting              | •                         |
| SmartTouch interface at        | •                         |
| Installation Dimensions        |                           |
| Minimum inside width of        | 457mm                     |
| Minimum internal depth of      | 635mm                     |
| Minimum internal height of     | 2134mm                    |
| Performance                    |                           |
| ActiveSmart™ Foodcare          | •                         |
| Adaptive defrost               | •                         |
| Dual evaporator                | •                         |
| Frost free                     | •                         |
| Frost free freezer             | •                         |
| Inverter controlled compressor | •                         |
| Sabbath mode                   | •                         |
| Variable food modes            | Soft freeze; Freeze; Deep |
| Variable temperature zones     | 2                         |
| Power requirements             |                           |
| Rated current                  | 10A                       |
| Supply frequency               | 50Hz                      |
| Supply voltage                 | 230V                      |
| Product dimensions             |                           |
| Depth                          | 610mm                     |
| Height                         | 2134mm                    |
| Width                          | 451mm                     |

| Warranty                 |         |
|--------------------------|---------|
| Parts and labour         | 5 years |
| Sealed system parts only | 5 years |
|                          |         |
|                          |         |
| SKU                      | 26139   |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

# FISHER & PAYKEL

A PEACE OF MIND SALE



24 Hours 7 Days a Week Customer Support

**T** 1300 650 590 **W**www.fisherpaykel.com