QUICK REFERENCE GUIDE > RS6121SRK1

# Integrated Column Refrigerator, 61cm

Series 11 | Integrated

Panel Ready | Right Hinge




Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.

- ActiveSmart<sup>™</sup> technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

# **DIMENSIONS**

Height 2134mm
Width 603mm
Depth 610mm



# **FEATURES & BENEFITS**

### MIX & MATCH

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Refrigerators and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

### PERFECT FIT

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be

seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

### CLEVER ENERGY

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your fridge uses the energy it needs without compromising on food care.

### APPEALING ILLUMINATION

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

### **DESIGN QUALITY**

The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

### **EASY INSTALL**

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

### **SPECIFICATIONS**

Contemporary square handle

# Accessories (sold separately) 1067mm Stainless steel toe 1220mm Stainless steel toe 1372mm Stainless steel toe kick 1828mm Stainless steel toe kick 1981mm Stainless steel toe kick AKRS18310 1981mm Stainless steel toe kick AKRS19810 610mm Stainless steel toe kick AKRS06110 Contemporary round handle AHS-RD21

AHD3-RD21

QUICK REFERENCE GUIDE > RS6121SRK1 Date: 03.04.2023 > 2

Joiner kit	AJ-RS21LR
Professional round flush handle	AHP3RDSF
Square fine aluminium handle	AHD5RDSF
Square fine black handle kit	AHD5RDSFB
Stainless steel door panel	RD6121R10D
Capacity	
Volume	351L
Volume refrigerator	351L
Consumption	
Energy rating	3.5 star
Energy usage	213kWh/year
Features	
Adjustable door shelves	4
Covered door shelves	1
Door alarm	•
Gallon door shelves	1
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
Stackable bottle holders	4
Wi-Fi connectivity	•
Installation Dimensions	
Minimum inside width of	610mm
Minimum internal depth of	635mm
Minimum internal height of	2134mm

Performance	
A L' C. ITM F. I	
ActiveSmart <sup>™</sup> Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Humidity control system	•
Inverter controlled compressor	•
Noise emissions	42dBA
Noise emissions class	[
Sabbath mode	
Variable food modes	Pantry; Fridge; Chil
Variable temperature zones	2
Rated current Supply frequency Supply voltage	50H:
Supply frequency Supply voltage	50H:
Supply frequency Supply voltage	50H; 230\
Supply frequency Supply voltage  Product dimensions	50H; 230\ 610mn
Supply frequency Supply voltage  Product dimensions  Depth	50H; 230\ 610mn 2134mn
Supply frequency Supply voltage  Product dimensions  Depth  Height  Width	50H; 230\ 610mn 2134mn
Supply frequency Supply voltage  Product dimensions  Depth Height	50Hz 230\ 610mm 2134mm 603mm
Supply frequency Supply voltage  Product dimensions  Depth  Height  Width	50Hz 230V 610mm 2134mm 603mm
Supply frequency Supply voltage  Product dimensions  Depth  Height  Width  Warranty  Parts and labour	10A 50Hz 23OV 610mm 2134mm 603mm 5 years 5 years

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

**T** 1300 650 590 **W**www.fisherpaykel.com