

# SHC590N



Product family	Hood
Hood Type	Integrated hood
Design	Ceiling
Extraction	Recirculation
Perimeter extraction	Yes
Material	Stainless Steel + Glass
Type of steel	Polished
EAN code	8017709275433



## Aesthetics

Aesthetic Colour	Universale Stainless steel	Finishing Glass Type	Glossy Black
------------------	-------------------------------	----------------------	-----------------

## Controls

Control setting	Buttons
-----------------	---------

## Programs / Functions

No. of speeds	3
Intensive speed	

## Technical Features



No. of lights	2	No. of filters	2
Light type	LED	Anti-grease filters	Aluminium
Light Power	1 W	Charcoal filters included	Yes
Free outlet maximum capacity	830 m <sup>3</sup> /h	Vent outlet	150 mm
Motor power	250 W		

	Noise level IEC 60704-2-13 [dB(A)]
---	------------------------------------

---

Intensive speed	830	68
-----------------	-----	----

## Performance / Energy Label

---

**F**

Energy efficiency class F  
(EEC)

## Electrical Connection

---

Voltage	220-240 V	Frequency (Hz)	50 Hz
---------	-----------	----------------	-------

## Optional accessories







---

Charcoal filter	Yes
-----------------	-----

---

## Symbols glossary (TT)

---

- |  |   |   |   |
|--|---|---|---|
|  | Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking. |  | Charcoal filters: Extracting through charcoal filters or directly to the exterior lessens strong cooking odours considerably. |
|  | Energy Rating F   |  | Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.                 |
|  | Perimeter extraction panels: very efficient and aid noise reduction.                                    |  | Intensive/turbo setting: when extra fast extraction is required.  |