

**Series 2, free-standing dishwasher,
60 cm, silver inox
SMS24AI01A**



- **AquaStop:** Bosch's warranty in case of water damage – throughout the lifetime of the appliance.*
- **Child door lock:** Prevents accidental opening of the dishwasher.
- **EcoSilence Drive:** especially energy-saving and silent in operation with a particularly high life span.
- **10 years warranty:** our promise against rust-through.
- **AntiFingerprint:** visibility of fingerprints is considerably reduced.

Maximum number of place settings:	13
Water consumption in litres per cycle of the eco programme: ...	13.5 l
Built-in / Free-standing:	Free-standing
Height of removable worktop:	30 mm
Dimensions of the product (HxWxD):	845 x 600 x 600 mm
Depth with open door 90 degree:	1155 mm
Adjustable feet:	Yes - all
Maximum adjustability feet:	20 mm
Adjustable plinth:	Adjustable plinth
Net weight:	45.0 kg
Gross weight:	46.3 kg
Connection rating:	2400 W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Length electrical supply cord:	175.0 cm
Plug type:	AU plug
Length inlet hose:	165 cm
Length outlet hose:	190 cm
EAN code:	4242005285921
Installation typology:	Free-standing with built under possibility



SGZ1010	inlet and outlet hose extention
SMZ2014	Rack insert for stemware dishwasher
SMZ5000	Dishwashing aid set
SMZ5001	Baby care kit
SMZ5002	Silver polishing cassette

Series 2, free-standing dishwasher, 60 cm, silver inox SMS24AI01A

Product Dimensions (H x W x D)

- H: 845 mm x W: 600 mm x D: 600 mm

Capacity

- Capacity: 13 place settings place settings

Consumption rates

- 3 Star energy rating, 3.5 Star WELS water rating. AU WELS Registration Number: D02777.
- Water consumption of 13.5 litres per wash using Eco in accordance with AS/NZS 6400 and Energy consumption of 305 kWh per year using the Eco program seven times per week. Consumption is based on cold water connection and is tested in accordance with AS/NZS 2007.2

Design

- Anti-fingerprint stainless steel finish
- Polinox inner tub: The Polinox inner tub is extremely durable, odourless and rust-free. German engineered with robust materials that withstand dints, scratches and discolouration, based on 10 year simulation tests.

Wash Programs and Options

- 4 programmes: Pots & Pans: Heavily soiled dishes 70 °C, Auto Wash: automatic wash & dry for Mixed loads & soil levels 45-65 °C, Eco Wash: Energy efficient wash & dry. Mixed loads & soil levels 45 °C, Express Wash 45 °C
- 1 special option: SpeedPerfect: Up to 50% faster wash time.

Performance

- EcoSilence Drive® quiet and energy-efficient brushless motor (BLDC)
- BLDC Main Pump: Variable water & spray pressure to achieve optimum cleaning results BLDC Drain Pump: Fast and extra quiet draining of water, no gargling sounds
- DosageAssist™: Maximises the effectiveness of detergent tablets. The tablet is dropped into a specially engineered tray and is completely dissolved. For superior cleaning performance and a quieter wash.
- AutoBrilliance™: Automatic detergent and rinse aid sensor
- AquaSensor™ technology: Regulates the water usage depending on the type and degree of soiling
- 3 stage self-cleaning filter system: design that helps reduce the need to wash the filter and prevents blockages
- 5 Spray levels for maximum water contact and optimum wash results

Flexibility

- 2 foldable cup shelves in top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- Cutlery basket in bottom basket
- Glass holder in top basket

Convenience

- Very quiet operation - 50 dB
- Time remaining display
- Time delay start: Delay program start time by 1-24 hours to suit your schedule

Safety

- AquaStop™ Plus: Water supply device with lifetime anti-flood protection

**Series 2, free-standing dishwasher,
60 cm, silver inox
SMS24AI01A**

measurements in mm



⌚ socket
() values with extension kit