


T26DS59NOA
60 CM GAS COOKTOP WITH INTEGRATED CONTROLS,

STAINLESS STEEL



The gas cooktop with a stainless-steel surface design and incrementally adjustable FlameSelect.

- ✓ FlameSelect - Thanks to the clever control of gas flow, the flame can be precisely adjusted in 9 gradations. Always the same reliable and precise power levels for outstanding cooking convenience.
- ✓ Powerful cooking at up to 13.6 MJ/h.
- ✓ Continuous cast-iron pan supports for maximum stability and cooking convenience.

Features

Technical Data

Product name/family : gas hob w integrated controls
 Construction type : Built-in
 Energy input : Gas
 Total number of positions that can be used at the same time : 4
 Required niche size for installation (HxWxD) : 45 x 560-562 x 480-492
 Width of the product (mm) : 582
 Dimensions of the product (mm) : 45 x 582 x 520
 Net weight (kg) : 20.0
 Gross weight (kg) : 21.0
 Residual heat indicator : without
 Location of control panel : Hob front
 Basic surface material : Stainless steel
 Color of surface : Stainless steel, Stainless steel
 Color of frame : Stainless steel, Stainless steel
 Approval certificates : CE
 Length electrical supply cord (cm) : 100
 Knob Material : Plastic
 Sealed Burners : No
 Type of pan support : Elongated cast iron pan support
 Electrical connection rating (W) : 1
 Gas connection rating (W) : 8000
 Current (A) : 3
 Voltage (V) : 220-240
 Frequency (Hz) : 50; 60
 Main colour of product : Stainless steel
 Energy input : Gas
 Gas type : Nat gas 10 mbar (Australien)
 Alternative gas type : Liquid gas G30,31 28-30/37mbar
 Approval certificates : CE
 Plug type : AU plug
 Required cutout/niche size for installation (in) : x x
 Appliance Dimensions (h x w x d) (in) : + x x
 Dimensions of the packed product (in) : 7.44 x 44.29 x 26.18
 Net weight (lbs) : 45
 Gross weight (lbs) : 47
 Total number of positions that can be used at the same time : 4
 Length electrical supply cord (cm) : 100
 Required niche size for installation (HxWxD) : 45 x 560-562 x 480-492
 Dimensions of the product (mm) : 45 x 582 x 520
 Net weight (kg) : 20.0
 Gross weight (kg) : 21.0

Included accessories

1 x WOK attachment ring



T26DS59NOA
60 CM GAS COOKTOP WITH INTEGRATED CONTROLS,
STAINLESS STEEL

Features

Design

- Stainless steel

Comfort & Convenience

- FlameSelect (9 steps)
- sword knobs
- Knob ignition
- Enamelled cast iron pan supports on non-scratch rubber feet

Size & Power

- 4 Gas burners
- Dual flame wok burner
- 1 High-speed, 1 Standard, 1 Economy, 1 Wok burner
- Left rear: Standard burner 6.85 Mj/h
- Right rear: High-speed burner, Wok burner 13.6 Mj/h
- Left front: Standard burner 6.85 Mj/h
- Right front: Standard burner, Economy burner 4 Mj/h

Safety and Environment

- Flame failure device fitted to each individual burner
- Preset to natural gas (10mbar)

Dimensions (WxD)

- 60 cm width
- Installation measurements: 560 mmx480 mm
- Power cord length: 100 cm with plug

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included

T26DS59NOA
60 CM GAS COOKTOP WITH INTEGRATED CONTROLS,
STAINLESS STEEL

Dimensioned drawings

